

Administrator's guide for corporate version of "Antiplagiat.Basis" system

User guide update 12.01.2023



Content

1. Introduction	
1.1. Terms and definitions	4
1.2. Purpose and conditions of use	5
2. Preparation for the start	6
2.1. Workplace	6
2.2. Log in and log out from the system	6
2.3. Role change	7
3. Profile	8
3.1. Two-factor authentication	8
4. Customer Care Service	10
5. Adding a website	11
6. Administration	12
6.1. View the list of users	12
6.2. User roles	13
6.3. User search	13
6.4. Impersonation of administrator into user's workspace	13
6.5. Creation of a new user	
6.6. Editing users	14
6.7. Blocking and deleting users	15
7. Company documents management	
7.1. Company documents revision	
7.2. Adding and deleting the documents from the index	
7.3. Deletion and restoring of company documents	
7.4. Adding the document to the "Storage"	
8. Company profile	
8.1. Review of account data	
8.2. Settings	
8.3. Notification settings	
8.4. View and edit contact information	
9. Billing	
9.1. Purchase of services for the company	
9.2. Check quotas	
9.2.1. Assigning quota to user	
9.2.2. Default quotas	
10. The report on the text reuse check result	
10.1. Full report	
10.1.1. Viewing the report	
10.1.2. Viewing information about the source	
10.1.3. External link to the source	
10.1.4. Viewing the source report	
10.1.5. Viewing report history	
10.1.6. Editing of the text blocks	
10.1.7. Comments to the report	
10.1.7.1. Adding a comment	
10.1.7.2. Actions with comments	
10.1.7.3. View all comments	
10.1.7.4. Access by a direct link	
,	



10.1.8. Editing of the sources' list	
10.1.8.1. Changing of source type	
10.1.8.2. Source exclusion	42
10.1.8.3. Source recovery	44
10.1.9. Editing text similar blocks	
10.2. Brief report	
10.3. Report with formatting	
10.4. Document Structure	50
10.4.1. Adding a section	
10.4.2. Changing the section borders	
10.4.3. Deleting a section	
10.4.4. Saving changes and refreshing check results	
10.5. Suspicious document	
10.6. Downloading the report	
10.7. Direct link to report from "See results" page	
10.8. Certificate	
11. Contact information	



1. Introduction

г

This manual is intended to familiarize you with the means of work in the "Antiplagiat" .

The manual contains information about the purpose, capabilities, features of the system, as well as a description of the actions that provide check of text documents for the detecting reuse.

1.1. Terms and definitions

Term	Definition
System "Antiplagiat" (service)	Online tool for working with text documents with user interface on the web-site.
Text similarity	A fragment of the document text that contains the text or a fragment of the source text and is not formatted in accordance with quotation rules
Text recycling	A fragment of the document text that contains the text or a fragment of the source text, the author or co-author of which is the author of the checked document
Quotes	A fragment of the document text that contains the text or a fragment of the source text and formatted in accordance with the rules of quotation, with full bibliographic information about the source. Also quotes include common expressions, bibliography, fragments of text found in sources from the collections of regulatory documents.
Text similarity percentage	The proportion of all found similar text in relation to the total size of the checked document in characters
Text recycling percentage	The proportion of all found text recyclings in relation to the total size of the checked document in characters
Quotes percentage	The proportion of all found quotes in relation to the total size of the checked document in characters
Originality percentage	The proportion of all document text fragments that were not found in the sources used for check, in relation to the total size of the checked document in characters
Report	 The result of checking the text for reuse: Brief report - is a percentage of originality, list of text sources. Full report - is a percentage of originality, list of text sources, the full text of the document, marked with found similarity text blocks.
Report share	The ratio of the volume of matches that is taken into account within this source to the total volume of the document. That is, if the same text was found in several sources, it is taken into account only in one of them. When summing up the shares in the reports for all sources, a percentage of "Similarity" is obtained.
Text share	The ratio of the volume of matches of the source text to the volume of the



	document. The shares in the text by sources are not summed up when calculating the total percentage of matches.
Report blocks	The number of text similarity blocks from the source, taking into account the intersections of all found sources.
Text blocks	The number of text similarity blocks from a source without regard to other found sources.
Collection (search module)	The software module of the corporate version of the system "Antiplagiat", implementing the search for text reuse. The module uses a search index or a special computational algorithm to build reports. The system can have several collection. Search modules may differ in purpose, for example: • Internet search; • Citations; • Russian State Library (RSL) collection; • GARANT collection; • eLIBRARY collection; • National Library of Belarus (NLB) collection. Once you have access to several search collections, you can build both individual reports and a single report for all search collections. Some collections perform searches across specialized databases with the casts of the texts of the source documents, but to obtain access to the selected search module doesn't mean getting access to the full texts of the documents it can find this collection. In the received reports, links to the documents will be indicated (their names will also be given), and when viewing the source text, it will contain fragments that coincide with the document being checked.
Browser	Software that allows users to view pages on Internet sites and access files and software associated with those pages. For example, Mozilla Firefox, Google Chrome, etc.
Text metrics	Semantic characteristics for each uploaded document.

1.2. Purpose and conditions of use

The service is designed to check text documents for plagiarism. As a result of the scan, users receive text reuse reports. The report contains information on the sources and indicators of text similar to source, as well as detailed information with the indication of those fragments of the checked document that have been identified as text similarity. The identification is accompanied by the presentation of the matching text fragment of the borrowing source and/or the reference to the original (URL). As a result of the document check, the user can determine which part of the document is written independently and which part is reused.

- To use the service you need:
- Connect to the Internet;
- Install a browser or use the browser of one of the most common types built into your operating system (MS Edge version 97 and above, Mozilla Firefox version 90 and above, Opera version 78 and above, Chrome version 92 and above).

The results of work with the system "Antiplagiat" are not the basis for claims of copyright violations, the service is aimed at use only for information purposes. In other words, we do not declare that a particular text is plagiarism, but only inform you about the presence of the same or similar text fragment. It is possible that when working with the service, you will find the text copied from other sources, including the possibility that the downloaded document is the original source. In



any case, when working with the service, be careful, try to be objective and do not rush to conclusions. Remember that the service is only a tool of work, and only the user can give a real assessment to the document.

2. Preparation for the start

2.1. Workplace

To prepare the workplace when working with the system "Antiplagiat" it is enough to open a browser. To work with the service, browsers of the most common types, such as MS Edge version 97 and above, Mozilla Firefox version 90 and above, Opera version 78 and above, Chrome version 92 and above, can be used.

To get started, go to the service website by typing in the address bar of the browser address you received by e-mail from the administrator of the company.

- So, we have a ready workplace:
- files downloaded to your computer;
- the browser is open;
- the service's website page is opened in the browser.

2.2. Log in and log out from the system

To access the system, use the login form. To do this, click on the "Log in" link in the upper right corner of the page.

If you do not remember the e-mail that you used for registration in the system, then you can use the "Remember e-mail" function on the login page. You will see a window for entering registration details from the old site: login and password. If you enter your login and password correctly, you will see the e-mail you used for registration on the old site.

CREATE YOUR OWN WAY	Sk				SN UP
	Antiplagiat website		Help		
	The first and best Ru	issian system for deter	cting text reuse	-	
		\ominus TRY FOR FREE			

Picture 1. Log in to the workspace in the "Antiplagiat" system.


Fill your credentials into the opened login form. Click on the "Show password" button, if you want to check the correctness of the password. Click on the "Log in".



LOG IN ①	SIGN UP	0
PASSWORD:		
	SHOW PAS	SWORD
	Restore	password
	LOG IN	

Picture 2. Login form into "Antiplagiat" system

After log in the icon "Menu" will be displayed on every page of the website in the upper right corner of the page. When you click on the icon, the navigation through the sections of your account will be available. To the left of the "Menu" icon you will see a brief information about yourself: the role in the system and e-mail. Figure 4 depicts an example for the "Expert" role.



Picture 3. Dropdown menu

To log out from the system, click on the "Menu" icon and then select "Log out".

2.3. Role change

If your system administrator has assigned you more than one role, you will see an arrow next to the role name located at the top of the page. Click the name of the current role to view the full list of roles available to you.



	IINISTRATOR ^ nold.Edwards@tns.com	MENU V	en 🗸
	Administrator		
	Supervisor		
	IK	< 1/1 v	> >I
Se to Se from Collection			

Picture 4. List of user's roles

To change a role, click its name in the drop-down list of roles. After that, the page will change the name of the current role, and you will be redirected to the user account for this role. Please note that only one role is available at a time.

3. Profile

To go to your profile, click on the "Menu" and select the "Profile" tab.

In the profile you can review your credentials. User's data can be changed only by the company administrator.



Picture 5. User's profile

3.1. Two-factor authentication

Two-factor authentication (2FA) is an additional security measure for an administrator's account. 2FA is implemented by linking your account to a 2FA application, which must be installed on a mobile device (smartphone or tablet).

You can install any 2FA application, but we recommend using Google.Authentificator (iOS,



Android).

Applications generate one-time digital codes that will need to be entered before performing the following actions with users:

- User creation (after clicking the "Add" button on the user creation page);
- Batch creation of users (after clicking the "Import" button on the administration page);
- Changing a user (after clicking the "Change" button on the page for changing a user);
- Sending a password to the user (after clicking "Send passwords" in the action confirmation • window);
- Unblocking the user (after pressing the "Unblock" button in the action confirmation window);
- User recovery (after pressing the "Restore" button in the action confirmation window);
- Impersonating into a user (after clicking the "Log in" button on the "Administration" page). • In order to set up 2FA, follow these steps:

- Install the 2FA application on your mobile device (smartphone or tablet); 1.
- 2. Scan the QR code using the application, or enter the text version of the code;
- After the application generates a numeric code, enter it in the field at the bottom of the 3. page and click the "Activate" button;
- 4. Click the "Close" button in the window that appears with a message about the successful connection of 2FA.

PROFILE SETTINGS	REPORT SETTINGS	SET UP 2FA					
TWO-FACTOR AUTHI	ENTICATION						
	Two-factor authentication will make your account even more secure. This feature of the System allows you to link your account to apps for your mobile device (phone or tablet) that will generate single- use passwords to access your account.						
Once this feature is activ	vated, when logging into yo	ur account, the Sys	stem will ask for a 6-character confirmation code, displayed in the app on your mobile device.				
or tablet.	 Download and install an app for two-factor authentication (Google Authenticator, Yandex.Key, Authy) on your phone or tablet. Open the app for two-factor authentication, tap the "+" button and scan the QR code. 						
Can't scan the QR code	?						
Enter the text code below	w using the manual code er	ntry feature in you	r app for two-factor authentication.				
3 To complete the tw	o-factor authentication set	up, enter the 6-digi	it verification code and click "Activate".				
		34	АСТІVАТЕ				

Picture 6. "2FA Settings" tab in the user profile

A window for entering 2FA will appear when performing actions with users. You will need to enter the numeric code from the application and click the "Confirm" button.





Picture 7. 2FA code entry window

If you have not previously linked your account to the 2FA application, then a window will appear with a message about the need to configure 2FA when you perform an action with the user. The message will contain a link to the "2FA Settings" tab.

Please set up 2FA on the <u>Two-factor a</u>	<u>auth settings</u> tab	on profile page and repeat the action.
	CLOSE	

Picture 8. 2FA not configured

The 2FA functionality is enabled by default. 2FA is activated for free.

Important! If the administrator loses access to the 2FA application on a mobile device, then the 2FA settings can be reset by "Antiplagiat". employees.

To reset 2FA, contact your organization's root system administrator. If you are a root administrator and you need to reset the 2FA administrator, then write an email to our Customer Care Service support@antiplagiat.ru.

4. Customer Care Service

If you do not find answers to questions about the system, please contact Customer Care Service. To do this, click on the "Menu" in the upper right corner and select the "Customer Care Service" tab. The system opens a window with a form to send the case.



Contact customer care service					
MESSAGE:					
				h	
SEND					

Picture 9. Feedback form

Enter your question in the "Message" field and click on the "Send" button. Our experts will respond to your request to the e-mail, which was used to log in.

5. Adding a website

Our Internet search module performs a check on the already indexed sites of the web. If you find an interesting site or resource that is not included in the Internet search module, you can add it to our search module. This will allow you to build more complete and reliable reports for check through the Internet search module.

To add a website for indexing, click on "Menu" and select "Add website". Copy the link in the URL field and click "Add". You can also leave a comment about the site to which this link leads, for example, that this site is an open e-library or abstracts site.



Add website for indexing				
URL:				
COMMENT:				

Picture 10. Website indexing form

If the site you specify is already known to our system, you will receive the message: "The Site has already been processed by our system".

Please note that the new website will be placed in the Internet search Module according to the order of the indexing queue.

6. Administration

6.1. View the list of users

To view the list of users, click on "Menu" icon and select "Administration" section. The list of company users appears with the information about them.

Users	D							
ADD USER	Delete Source MO	RE SEND PAS	SWORD BY EMAIL	E IMPORT C EXPORT				I< < 1/16 v > >I
	Registration date 🗘 🏹	Login date 🗘 🏹	Full name 🗘 🏹		E-mail 🗘 🏹	Role ∇	Status T	\otimes
277	01 Jun 2020 12:12	17 Jun 2020 17:47	John Doe		admin@gmail.com	Administrator, Expert	\odot	EDIT LOG IN
276	27 May 2020 14:10	01 Jun 2020 11:35	Piter Newman		expert@gmail.com	Expert	\odot	EDIT LOG IN

Picture 11. List of company's users

First time you log in, you will see two users with Administrator role (learn more about roles in the "User roles" section):

- Support Service an employee of "Antiplagiat" company, who is responsible for supervision over system efficiency, troubleshooting and assistance to users of the company.
- Root administrator administrator of your company, created by "Antiplagiat" Customer Care Service during company activation.



6.2. User roles

The system "Antiplagiat" provides the following user roles:

- Administrator user of system, who is responsible for administration of usage of the purchased product.
- Expert user of system, who checks text documents.
- Supervisor user of system, who can view all actions of all users of purchased system.

Availability of these roles depends on your system configuration.

6.3. User search

For convenience of usage of the list of users, the system provides search for users by id, e-mail, name, registration date, login date, role and status.

Full name 💲 🖓	E-mail 🗘 🏹	Role 🖓	Status Y		
tra	etram(Enter	an email	APPLY	\otimes	EDIT

Picture 12. Search for users by E-mail

By default, list of users is sorted by registration date in descending order. You can change sorting order in the header of the table, the direction of the arrow will change, pointing to the sorting method, and the column, which is currently sorted, is highlighted in bold.

6.4. Impersonation of administrator into user's workspace

You can impersonate into account of any company's user. To do this, click on "Log in" button in row with the selected user. Page with user's workspace under his/her login will open in the new tab. Administrator can access all features and documents of this user.

		I< < 1 /2 ∨ > >I
Role	Status Y	\otimes
User	\odot	EDIT LOG IN
User	\odot	EDIT LOG IN

Picture 13. Log in to impersonation mode.

You can impersonate in only one user. To exit the impersonation mode, click on "Log out" in the user menu. After that, the administration page will open, you can continue to work with the system on your own.

6.5. Creation of a new user

To add a user of the system, click on the "Add user" button in the top menu. Fill in the fields of the opened form and click "Add". The new user will be displayed in the top row of the table.

E-mail, password and role are the required fields.

Multiple roles can be assigned to a user in the system. Depending on the roles assigned, the user can switch between them and perform the activities that are specific to the role.

The created user will receive a link sent to the specified e-mail for setting the individual password. If you uncheck the "Send password by e-mail" checkbox, then the link for password setting after clicking the "Add" button will not be sent. To postpone or resend the link to the password setting page, use the <u>Editing Users section</u>.

Add new user)		
EMAIL *			
PASSWORD*			
	GENERATE PASSWORD	Send password by mail	
LAST NAME	NAME	MIDDLE NAME	
ROLE*			
STRUCTURAL SUBDIVISION			
Not specified			*
ADD			

Picture 14. Creation of a new user of the company

6.6. Editing users

To change the information about a user, click on the "Edit" button in the row of the appropriate user. The edit user's account window will open.

The Administrator can change the e-mail, user information, oblige the user to change the password (send a link to the password setting page), change or add another role to the user in the system.

BACK TO THE LIST OF USERS (igeta)



Edit user account

Edwards Reynold				
PERSONAL INFORMATION, SETTING	S, PASSWORD			
EMAIL				
test_account@gmail.com				
PASSWORD				
*****	GENERATE PASSWORD	nd password by email		
LAST NAME	NAME	MIDDLE NAME		
Edwards	Reynold			
SELECT ROLE				
Expert 🛞 Teacher 🛞				
STRUCTURAL SUBDIVISION				
Not specified			~	
SAVE CHANGES				🖞 delete 🚫 block

Picture 15. The edit tab of the user's account

To send a password setting link to the user's e-mail, flag the box "Send password to e-mail" in the edit tab of the user's account and click on the button "Save changes".

Please note that after sending a link to the user for setting a new password, the login using the user's current password is blocked. The user must independently set a new password to continue working in the system.

You can send links to the password setting page to multiple users at the same time. To do this, flag those users in the list who need to set a new password (if necessary, select <u>all users</u>) at once), and in the top menu click on the button "Send password by e-mail".

After confirmation, an informational message will appear about the successful sending of letters with links to the users' e-mails with an indication of their number.

Please note that passwords for some system users cannot be changed (root administrator, system support service).

6.7. Blocking and deleting users

You can use the menu above the list of company's users to block and delete the user's account. On the same form, you can restore and unblock the user.

To block/delete several users at the same time, you need to mark appropriate users and click on the "Block" button or "Delete" button.



Jsers			- Colore Anto	Transmission and the second second		
ADD USER	DELETE	⊘ BLOCK	MORE	→ SEND PASSW	ORD BY EMAIL	
	Registra	tion date 🗘	Unblock Restore		ull name 🗘 🏹	
14	04 Jul 20	18		er logged in	tra	

Picture 16. Delete/Block several users

To block / delete all users on the current page, flag the ID box and click on the "Block" button or the "Delete" button.

Users	3								
ADD USER	🖞 DELETE 🛇 BLOCK MO	DRE SEND PASS	WORD BY EMAIL	IMPORT C EXPORT					I< < 1 /17 ▼ > >I
P 🗘 7	Registration date 🕚	nblock estore	ull name 🛟 🏹	Structural subdivisio		mail 🗘 🏹	Role 🖓	Status T	\otimes
352	23 Sep 2021 13:55	never logged in	V 10 users select	ted		Select all users Ren	nove selection yr,	(\checkmark)	EDIT LOG IN
350	15 Sep 2021 00:55	15 Sep 2021 00:56	Wong Lao	Not speci	ified te	est-ap00@yandex.ru	Student	\oslash	EDIT LOG IN
349	15 Sep 2021 00:45	15 Sep 2021 01:01	John Smith	Not speci	ified h	esh-x@yandex.ru	Teacher	\odot	EDIT LOG IN

Picture 17. Delete / Block all users on the current page

To block / delete all users, click on "Select all users", and then on the "Block" button or on the "Delete" button.



To deselect users, click on "Deselect". In this case, all users will be deselected.

By default, the user list displays only activated users. To see deleted or blocked users, click the filter icon next to the "Status" column, select the status "blocked" or "deleted" and then click "Apply".

Full name 🛟 🏹	E-mail 💲 🏹	Role 🖓	Status 🔻	
Edwards Reynold	etram@nm.ru	Moderator	onot specified	EDIT LO
Smith John	tns@tns.ru	User	O blocked O f deleted	EDIT LO
Taylor Peter Jr.	taylor@tns.com	Administrator	APPLY 🛞	EDIT LO

Picture 19. Review of blocked users

Mark appropriate users, click on the "More" button and select the "Unblock" or "Restore" action.



7. Company documents management

The administrator of the company can view all the documents of the company. To do this, click on the "Menu" and select the "Collection" section. A list of company documents opens, displaying documents uploaded by all users of the company.

Collection	MOVE 🖞 DELETE 🗘 RESTORE	SFROM INDEX					I< <	1/1 × > >I	
ADD DOCUMENT	□ Name ∇	Upload date \uparrow ∇	Indexing date ∇	User email ∇	Structural subdivision ∇	Uploaded to	Status 🔻	\otimes	
BATCH UPLOAD	Non-linear depreciation method .	09 Aug 2018 12:24	09 Aug 2018 12:24	taylor@tns.com		Storage	\odot	REPORT	
OLDERS ?	Algorithmic technique for Model .	09 Aug 2018 12:24	09 Aug 2018 12:24	l10n@test.ru		Storage	$\odot \mathbb{A}$	REPORT	
Company documents	Strategic importance of Nisibis	09 Aug 2018 12:24	09 Aug 2018 12:24	l10n@test.ru		Storage	$\odot \mathbb{A}$	REPORT	
 Storage Root folder User documents 									

Picture 20. Company documents

7.1. Company documents revision

On the left side of the "Folders" panel you will see the sections where all uploaded company documents are stored.

The "Storage" section is available and is displayed only if you have your own collection maintenance connected.

Please note that "Company documents", "Storage" and "User documents" are system folders. You cannot delete, move, or rename system folders. You can add, delete, and rename documents and folders only in the "Storage" folder.

The section "Company documents" contains a list of all company documents uploaded by users and administrators, both in their personal accounts and in the storage. Additional information, including author, upload time, and status, is displayed for the documents.

Sorting, filtering and searching by table columns is similar to the "Administration" section.

"Storage" is the company's own collection, which used to check the documents of the company's users. The structure of this section is similar to the section "Company documents". There are two types of placing in index for the documents in the "Storage" - in index of approved and in index of text similarity. Duplications, which was founded via documents from index of approved, relate to citing percentage. If the document is placed in index of text similarity in the "Storage", then duplications relates to text similarity percentage in text reuse reports.

Section "User documents" contains documents uploaded by users of the company to their offices. The structure of this section is the same as in the section "Company documents".

7.2. Adding and deleting the documents from the index

If you want to search for reuse in the system "Antiplagiat" carried out on the documents uploaded by your organization, add the document to the indexation. Check the documents box and select the appropriate action from the top menu. Similarly, the process of extracting from the index.



MOVE DELETE SRESTORE	€s FROM INDEX					I< < [
\Box Name ∇	Upload date 🛟 ∇	$\frac{Indexing}{date} \nabla$	User email $ \!$	Structural subdivision ∇	Uploaded to	Status T
Study on cosmic microparticles i	14 Sep 2018 12:12	not added	taylor@tns.com		Workspace	\odot
Non-linear depreciation method	9 Aug 2018 2:24	09 Aug 2018 12:24	tns@tns.com		Storage	\odot



User documents are placed in the similarity index. Only documents from the company's storage may be in the index of approved. To place documents in the index of approved, open the "Storage" section, tick the documents with checkmarks and click on the "To Index" button in the top menu. In the drop-down menu, select the "To approved index" button.

MOVE D DELETE C RESTORE	Seto Sefrom Index					K < 1	/1 > >
□ Name ▽	To reuse index	Upload date 🗘 🏹	Indexing date ∇	User email 🍞	Uploaded to	Status Y	\otimes
🥑 document 3	S To index of approved	02 Dec 2019 10:58	not added	test@gmail.com	Storage		REPORT
ocument 2		02 Dec 2019 10:57	not added	test@gmail.com	Storage		REPORT
ocument	;	02 Dec 2019 10:57	not added	test@gmail.com	Storage		REPORT

Picture 22. Adding document to the index of approved

7.3. Deletion and restoring of company documents

To delete documents, check the documents checkbox and click the Delete button in the top menu.

MOVE DELETE STORE						I< <
Name Y	Upload date $\stackrel{\wedge}{\downarrow}$ ∇	Indexing date ∇	User email ∇	Structural subdivision ∇	Uploaded to	Status Y
Study on cosmic microparticles i.	13 Jul 2018 12:25	not added	etram@nm.ru		Workspace	\odot

Picture 23. Deletion / restoring of the documents

To restore previously deleted documents, click the filter icon next to the status column name, select the deleted status, and then click Apply. Now check the box documents and click on the "Restore" button in the top menu. Once recovered, the documents will appear in the root folder of the users who previously downloaded them.

7.4. Adding the document to the "Storage"


If you have a set of documents and you want to check users' documents by them, you need to add these documents to the "Storage". To do this, select the appropriate folder in the "Storage" and click "Add document".

Documents are added to the "Storage" without checking and reporting. Documents uploaded to the Vault are added to the index of their own collection as soon as they are loaded, but they can be removed from the index once they are loaded.

In Storage, you can create, delete, rename, and move subfolders.



Collection	MOVE DELETE CRESTORE	SFROM INDEX				I< <	1/1 × >
ADD DOCUMENT	Name Y	Upload date 🗘 ∇	Indexing date ∇	User email ∇	Uploaded to	Status Y	\otimes
	Non-linear depreciation method .	09 Aug 2018 12:24	09 Aug 2018 12:24	taylor@tns.com	Storage	\oslash	REPORT
FOLDERS	Study on cosmic microparticles i.	13 Jul 2018 12:25	not added	tns@tns.com	Workspace	\oslash	REPORT
Company documents							
✓ Storage	1						
Root folder							
User documents							



For placing documents in index of approved at the moment of uploading in "Storage", click on "Approved for citing" button on uploading to "Storage" form.

8. Company profile

The company administrator can view the company profile. To do this, in the upper right corner click on the "Menu" icon and go to the "Company profile" tab. The company profile consists of the following tabs: "Account data", "Notification settings", "Contacts", "Statistics" and "Billing".

8.1. Review of account data

"Account data" tab displays information about company, information about available search modules and about company's own collection, dates of activation and deactivation and e-mail of the root administrator of company.

This tab is not editable by company administrator. If you find a mistake or want to change information on this page, contact our Customer Care Service (support@antiplagiat.ru)



ACCOUNT DATA	SETTINGS	NOTIFICATION SETTINGS	CONTACTS	STATISTICS	BILLING
COMPANY INFOR	MATION				
COMPANY NAME					
system					
COMPANY URL					
system					
COMPANY TYPE					
Corp					
START DATE					
25 Apr 2018 16:11:40					
DEACTIVATION DAT	E				
DEACTIVATION DAT 25 Apr 2019 00:00:00	E				
		E			
25 Apr 2019 00:00:00		E			
25 Apr 2019 00:00:00 AUTOMATIC DEACTI	VATION BY DATE	E			
25 Apr 2019 00:00:00 AUTOMATIC DEACTI No COMPANY'S OWN C	VATION BY DATE				
25 Apr 2019 00:00:00 AUTOMATIC DEACTI No	VATION BY DATE				

Picture 25. "Account data" tab in company profile

8.2. Settings

On the "Settings" tab you can choose language of system's interface. Select language in the drop-down menu and click on the "Save" button. If you select "Not specified" option, the system interface will be displayed in Russian language by default.



Company	profile	?		
ACCOUNT DATA	SETTINGS	NOTIFICATION SETTINGS	CONTACTS	BILLING
COMPANY INTER	FACE LANGUA	GE		
SELECT LANGUAGE				

Picture 26. "Settings" tab in company profile

On the "Settings" tab you can opt to prohibit student's self-signup. In this case, students of your organization will not be able to register in the system on their own.

Picture 27. The "Settings" tab in company profile

8.3. Notification settings

In the "Notification settings" tab you can specify whether to notify when the limits are reached and select the timeframe of notification, and a specific date of notification. The system also has the ability to display a message and a warning about deactivation on the main page of the system.



Company	profile			
Company	prome			
ACCOUNT DATA	SETTINGS	NOTIFICATION SETTINGS	CONTACTS	STATISTICS
NOTIFICATION OF	DEACTIVATIO	N		
SEND NOTIFICATION	IS			
before 30 days				
🕑 before 14 days				
before 7 days				
efore 2 days				
ADDITIONAL NOTIFI	CATION DATE			
tiii hh	mm			
MAILING LIST ADDRI				
	23323			
user@compmail.com				
SAVE				
HOME PAGE MESS	AGE			
 Display deactivation 	n message			
Display deactivation				
SAVE				

Picture 28. "Notification settings" tab in company profile

By default, the notification setting is set for 14, 2 days and at the time of shutdown. You can change the default settings, change e-mail for sending notifications, and enter an additional notification date. In the field "Mailing list addresses" you can enter several e-mails, without spaces through the separator ";".

Please note that sending notification at the moment of deactivation is mandatory and cannot be edited.

You can mark or unmark the output of the shutdown message and the company's shutdown warning on the company home page. By default, "Display deactivation message" is selected.

To save your changes, click "Save".

8.4. View and edit contact information

The "Contacts" tab displays contact information of the company administrator.

The "Contacts" section is filled with the information specified in the contract. This field is not editable by the administrator. To make changes, please contact our Customer Care Service (support@ "antiplagiat.com" .).

In the "Additional contacts" section you can enter additional contact information in the edit field. To save your changes, click "Save".

Company	profile	0			
ACCOUNT DATA	SETTINGS	NOTIFICATION SETTINGS	CONTACTS	STATISTICS	BILLING
CONTACTS(ARE E	NTERED FROM	THE CONTRACT; TO CHANGE	IT, PLEASE CON	ITACT SUPPORT)	
ADDITIONAL CON		LS (USING THE MARKDOWN FOR	MAT)		
	CONTACT DETAI	LS (USING THE MARKDOWN FOR	MAT)		
SAVE					


Picture 29. Contacts" tab in company profile

9. Billing

The limitations of users for checks managment and information about company's rate plans is available for administrators.

Billing page is available by clicking "Menu" icon in the upper right corner of every page on the website.





Picture 30. "Billing" icon

9.1. Purchase of services for the company

The view of the company's billing tab is available for administrator. The page contains the following sections:

- Rate plans;
- Rate plan change log;
- User activity log;
- Notification settings.



Company	profile	0				
ACCOUNT DATA	SETTINGS	NOTIFICATION SETTINGS	CONTACTS	STATISTICS	BILLING	
BILLING ENABLED Yes CURRENT RATE PLAN Unlimited CURRENT SEARCH M						
Check module "Interne APICORP ENABLED Yes	t", Citations finder					
RATE PLANS						آرم) MINIMIZE (م) MAXIMIZE
RATE PLAN CHAN	IGE LOG					
USER ACTIVITY LC	DG					Ta MINIMIZE
NOTIFICATION SE	TTINGS					다 MINIMIZE 네 MAXIMIZE
Send notificatio		thresholds are reached: 75%, 95%, 10	0%			
user@mail.com	DUESSES					
SAVE						

Picture 31. General view of "Billing"


The "Rate plans" section displays information about the activated rate plan of the company, including the validity interval and the number of checks on the rate plan. If necessary, you can view what rate plans have been activated to the company previously. To do this, check "Display expired items".

ATE PLANS							
							Display expired ite
ID	Status	Name	Remaining	Available checks	Change date	Start date	End date
1	Active	Unlimited	-	-	25 Apr 2018 16:11	25 Apr 2018 16:11	-
0	Blocked	Free of charge		0	25 Apr 2018 16:11	25 Apr 2018 16:11	—
rate plans	Items per page: 1	0 20 50 100					I< < 1/1 v >

Picture 32. Section "Rate plans" with the indication of expired rate plans

In the "Rate plan change log" section you can view all the changes that have occurred with the company's rate plans.

Operation date	Rate plan	Rate plan ID	Action	Description	
25 Apr 2018 16:11	Unlimited	1	Create	added permission to ApiCorp, added search module "Check module "Internet", added search module "Test search module", added search module " Citations finder"	





The "User activity log" section contains information about the checks made by users of the company.

SER ACTIVITY L	OG			
EXPORT TO CSV				
Date 7	User ∇	Action	Description	
14 Sep 2018 12:12	blatt@tns.ru	Document check	check by search module "Check module "internet"", check by search module "Test search module", check by search module " Citations finder"	
27 Jul 2018 11:31	brown@tns.ru	Document check	check by search module "Check module "Internet"", check by search module "Test search module", check by search module " Citations finder"	
13 Jul 2018 12:25	brown@tns.ru	Document check	check by search module "Check module "Internet"", check by search module "Test search module", check by search module " Citations finder"	

Picture 34. User activity log

The activity log is available for download only. To receive it, select the time period for which you want to receive information about users, and then click on the "Export activity log" button. The export will start automatically, or a file export and save dialog box will open, depending on your browser settings.

You can search by user's e-mail and see only the actions of a specific user, as well as apply a filter to the date of the action. To do this, in the header of the table click on the column on which the search will be performed, and specify the user's e-mail or the desired period. The system has the ability to export the log in csv-file format.

In the "Notification settings" section, you can specify whether you want to be notified when limits are reached. To do this, check or uncheck "Send notifications...". By default, the e-mail address of the root administrator of the company is specified in the field "Mailing list addresses". You can enter another e-mail to which notifications will be sent. To save your changes, click "Save".

NOTIFICATION SETTINGS	다 MINIMIZE 한 MAXIMIZE
 Send notifications if the following thresholds are reached: 75%, 95%, 100% MAILING LIST ADDRESSES 	
admin@gmail.com	
SAVE	

Picture 35. Notification settings in the editing mode

9.2. Check quotas

The limitations of users for checks managment is available for administrator. Limitations are set via quotas which show how many checks can be performed by user.

Click on "Menu" icon and select "Billing" to start working with quotas. Here in "Check quotas" tab you can:

- veiw the list of users, quotas assigned to them and remaining checks within quotas;
- set quotas for checks to one or several users;
- set default quotas for checks;

Please note that users without quotas can perform checks until the checks of the company run out.

Users list and information about quotas are displayed in "Check quotas" tab. Current limitation of user for checks is specified in "Quotas" column. The rest of the quota is specified in the column "Checks remaining".



_					
B	i I	i	n	σ	

Billing						
CHECK QUOTAS	COMPANY RATE PLANS					
		isers from your organization. On this page, you can adj rkspace). On changing the company's rate plan, the qu				
To set a quota, select t	the necessary users and click on "Set q	uota." Specify the quota – i.e. limits for each of the selec	tted users – in a spe	cial field. To remove a	limit, leave the field blank.	
SET QUOTA DEFAU	ULT QUOTAS -					I< < 1 /1 ▼ > >I
🗌 ID 🗘 🏹 🛛 Fu	ıll name ⇔ុ 🖓		Quotas 🔆	checks remaining 🛟	E-mail 🗘 🏹	Role ∇
5 Iv	anov Ivan		10	10	yulyk@email.com	Expert
☐ 4 Ar	nna Ivanova		15	5	sci-one@abc.ru	Expert
2 Yu	ulia Petrova		5	0	usdev@email.com	Administrator
🗌 1 🛛 Jo	hn Dou		-		comeback@ant.ru	Administrator
Items per page:	10 20 50 100					I< < 1 /1 ∨ > >

Picture 36. "Check quotas" tab

9.2.1. Assigning quota to user

For assigning quota to user please perform following actions:

- 1. Select one or several users which are subject to quota, by ticking the mark.
- 2. Click on "Set quota" icon.
- 3. Specify quantity of checks which available for users and click on "Apply" icon.

HECK QUOTAS	COMPANY RATE PLANS					
pers by students ma	ay only be accessed in the teacher's	to users from your organization. On this pag workspace). On changing the company's rai t quota." Specify the quota – i.e. limits for ea	te plan, the quota values do not cl	hange; rather, the num	ber of checks remaining beco	
ET QUOTA	ULT QUOTAS -					K < 1 /1 ▼ > >
Set a limit			Quotas 🗘	checks remaining 🔷	E-mail 🗘 🏹	Role 🖓
	anov Ivan		10	10	yulyk@email.com	Expert
	ina lvanova		15	5	sci-one@abc.ru	Expert
			5	0	usdev@email.com	Administrator
2 Yu	ilia Petrova					

Picture 37. Setting quota for checks to users

9.2.2. Default quotas

Administrator can set default quota. Value which specified in default quota is used for users without assigned manually quota.

If default quota is absent, then limitation for checks during the creation of new user setting manually.

Please note that when a company is created, the default quota is set to 10 checks. You can independently change this value on the "Billing" page, the "Check quotas" tab.

For setting default quota please perform following actions:

1. click on "Default quotas" icon;



2. specify quantity of checks which available for users;

3. click on "Apply" icon.

CHECK QUOTAS	COMPANY RATE PLANS					
oapers by students m	ay only be accessed in the teacher's wor	sers from your organization. On this page, you can a rkspace). On changing the company's rate plan, the uota." Specify the quota – i.e. limits for each of the se	quota values do not cha	inge; rather, the num	nber of checks remaining bec	
ID \$ 7			Quotas 🖕	checks remaining 🖕	E-mail 💲 🏹	Role 🖓
ID 🗘 7	limit		Quotas 🖕	checks remaining 💲 10	E-mail ⇔ ♡ yulyk@email.com	

Picture 38. Setting default quota

10. The report on the text reuse check result

10.1. Full report

After the document is loaded and checked, you may navigate to the report. To go to the full report view page, click the "See results" button located on the line with the checked document. After this click "Full report" button.

HOME / WORKSPACE / CHECK RESULTS								
Originality 18,08%	Similarity	5,35%	Citations	0,62%	Text recycling	75,95%		
FULL REPORT BRIEF REPORT REP	PORT HISTORY			PRINT V	Ł EXPORT ∨	🕞 CREATE LINK 🗸		
Document properties	Initial file name	Carrier Interacti	ier Interaction in Quantum Nanosystems.pdf					
Document structure	Document authors ⑦	not specified		not specified				
	Document name	Carrier Interacti	on in Quantum Nanosy	stems				
Search by images NEW	Document type	Not specified						
A Text metrics NEW	EDIT PROPERTIES							

Picture 39. Full report selection

The full report includes:

- evaluation of originality / similarity / quotes / text recycling;
- evaluation of suspiciousness of a document with details on the "Suspicious document" page
- list of similarity sources with the ability to edit and go to the source report;
- continuous or page-by display of the full text of the document marked with the found similar blocks;
- page-by-page display of the full text of the document in the original document;
- the date of document checking;
- document's name;
- report correction.



The figure below shows a General view of the full report.

ull re	DOFT BRIEF REPORT	T		29.47%	REUSE		
PARAMETERS F	OR CHECKING 🗹 EXPORT 🗒 SAVE	MORE		0%	SELF-CITATIONS		
				0%	CITATIONS		
ummer C	limate Change in th	ne Midwest a	CHECKED: 29.05.2020 16:27:00	70.53%	ORIGINALITY		
TEXT VIEW	ORIGINAL VIEW	hide source numbers	I< < 1/18 × > >I		BLOCK SEARCH		
				Reuse		PREVIOU	US
Summer Clima	te Change in the Midwest and Gre	at Plains due		 Self-citat Citations 		NEXT	
to Agricultural	Development during the Twentiet	h Century					
The MIT Facult	y has made this article openly avai	lable. Please share		SOURCES:	20 FROM 20	RECALCU	ULATE
how this acces	s benefits you. Your story matters	2		96 🗘	Search module ∇		
Citation Nikiel,	Catherine A. and Elfatih A. B. Eltah	ir et al. "Summer Climate		[01]	1036988214-MIT.pdf		
Change in the	Midwest and Great Plains due to A	gricultural		15.92%	INTERNET PLUS		
Development	during the Twentieth Century." Jou	rnal of Climate 32,			🖉 Edit type 🗐	P	
17 (September	2019): 5583-5599. © 2019 Ameri	can Meteorological					
Society				[02] 2.41%	Downloadable Full Te	ext	•
As Published h	ttp://dx.doi.org/10.1175/jcli-d-19-0	096.1			🖉 Edit type 🗐	P	
Publisher Ame	rican Meteorological Society						
Version Final p	ublished version			[03]	Downloadable Full Te	ext	•
Citable link htt	ps:// hdl.handle.net/1721.1/12556	2			C Edit type	P	
Terms of Use /	Article is made available in accorda	nce with the publisher's			Con type EB	G	
policy and may	y be subject to US copyright law. Pl	ease refer to the		[04]	Downloadable Full Te	axt	•
publisher's site	e for terms of use			1.37%	INTERNET PLUS		
					🖉 Edit type 🗐	P	
			I< < 1/18 × > >1	[05]	Impact of Irrigation N	/lethods o	. 💽

Picture 40. Full report

In the top panel of the page you will see the icon buttons, allowing you to proceed to the next action:

- parameters for checking;
- export of the report;
- downloading the Certificate;
- save the edited report;
- report printing layout;
- view reports history;
- view text metrics;
- get a direct link to the report;
- link to the brief report;
- link to user manual.

10.1.1. Viewing the report

The report page consists of the text to be checked, in which the similar blocks are highlighted, the list of sources, the aggregated results of the check and navigation through the blocks of similarity (search by blocks).

To navigate through the text pages, use the paging panel located above and below the text box. To display all pages of the document at once, click on "Show all pages" at the bottom of the document page.

To return to the page-by-page display of the report text, click the "Show by page" button on the paging panel.



ALL BLOCKS V ×	(0)	6e3 🖸 🔣 🕫	< < 2/76 × > >
	SOURCES:	121 FROM 156	RECALCULATE
	96 🗘	Search module ∇	Sources ∇
	[01] 6,01%	not specified Bibliography	•


Picture 41. Page-by-page display of the report text

To see which text fragments were similar and to which specific source, all text similar blocks in the system are highlighted, and at the end of each block there is a label with the respective number of the source.

When viewing similar blocks in a report, you can use block navigation (block search). With its help you can go to the next or previous block by pressing the "Previous" or "Next". You can also choose which type of text blocks to use.

10.1.2. Viewing information about the source

To view information about the source, find the source in the list, expand the respective source and click on the icon.



Picture 42. Source information in the source list

The source information window displays various data on the source: a link to the source, the date of its publication, the author, etc. The list of fields may be different depending on the search module and the source itself. An annotation to the source is also displayed in the source information menu. Annotation is an automatically generated short piece of text from a document to form an idea of its content.



Key	definitions
ANNO	DTATION IN SOURCE LANGUAGE ?
of the (R.E. I	on tables A decision table is one of the functional models of decision making. The resu study is expected to be a thorough and complete analysis of the chosen approaches. n the most primitive situation conditions in the decision table are formulated in such a o that the answers could be stated as "yes" or "no". (T.L.
ANNO	DTATION IN USER LANGUAGE ?
of the (R.E. I	on tables A decision table is one of the functional models of decision making. The resu study is expected to be a thorough and complete analysis of the chosen approaches. In the most primitive situation conditions in the decision table are formulated in such a o that the answers could be stated as "yes" or "no". (T.L.
META	DATA
Sourc	eFileName:

Picture 43. Source information

If the source is placed in index of approved by administrator of your company, then appropriate flag about the source appears. Text reuses from such source included in citing percentage and highlighted by green color.

Parameters such as text share, report blocks, text blocks are customizable. To do this, click on the "Menu", select the "Profile" section and go to the "Report settings" tab. You can choose which of the parameters will not be displayed in the report by unchecking one of them.



My profile	
PROFILE SETTINGS	REPORT SETTINGS
DISPLAY IN REPORT	
 Report blocks paramet Text blocks parameter Text share parameter 	
SAVE	

Picture 44. Report settings

When analyzing sources, you can use both report share and text share. For a clear understanding of the difference between them, let's give an example: The report indicates two sources "Source A" and "Source B". According to the sources, the same paragraph of the text was found, which makes up 10% of the total volume of the document being checked. In this case, we will get the following data:

- Source A: text share is 10%, report share is 10%;
- Source B: text share is 10%, report share is 0% (because this text has already been taken into account from source A.)

Another way to view information about a source is to click on the source number in the full report text. A window will appear that contains basic information about the source.


Symbolic Invariant Verification for Sys	tems
with Dynamic Structural Adaptation	
	Source: Evolution & Aging
ABSTRACT	Link: http://d3s.mff.cuni.cz/research Date: 09 Apr 2016
The next generation of networked	Search module: Internet

Picture 45. Source information in the full report text

10.1.3. External link to the source

For most sources in the list there is an external link to the location of the document or source text on the Internet. To go to the web page, click the icon next to the source name.





Picture 46. External link in the list of sources

After clicking on the link, the web page on which the text of the block was found will be opened. A situation may arise when the source is unavailable after clicking on the link. Perhaps the site administrators deleted the text, or the page "moved." But in any case, this text was available at the specified address when the site was added to the index of the search module of the system.

The fact that one or more of the report's links to the open sources on the Internet at the time of viewing the report do not work is not a reason to remove these links from the system's index. Texts at the links' addresses were indexed, before being deleted / moved, they were available to third parties, could be read, copied or otherwise used. Also, they could be stored in the cache of search engines and web archives, where they could still be found.

10.1.4. Viewing the source report

To view the source report, click the link in the source name in the list of sources. A new tab in the browser will open with the text of the source with which there was a duplication. Instead of text that doesn't overlap with the source, you'll see the number of characters that were skipped.

If you want to view the full source text, open the source link by clicking on the "Go to the source website" button.

SOURCES ②

[01]	1036988214-MIT.pdf
[02]	1036988214-MIT.pdf

- [03] not specified
- [04] Downloadable Full Text
- [05] Downloadable Full Text
- [06] Downloadable Full Text
- [07] Downloadable Full Text
- [08] Impact of Irrigation Meth...
- [09] Impact of Sea Surface Te...
- [10] Impact of Sea Surface Te...
- [11] Improving the Simulatio...
- [12] A Modeling Study of Irrig...
- [13] A Modeling Study of Irrig...
- [14] https://conservancy.umn...

Report on the source[01]

E DISPLAY FULL TEXT & GO TO THE SOURCE WEBSITE (1) INFORMATION

1036988214-MIT.pdf

	Skipped 20911 characters / 2439 words
ľ	July-August average temperature change ('C) from 1920-1949 to 1970-1999
	in
	Skipped 13945 characters / 1558 words
I	how crops will
	Skipped 6 characters / 1 word
ľ	in different climate
	conditions, but also how crops and agricultural
	Skipped 2801 character / 433 words

Picture 47. Report on the source

Click another source in the Sources pane on the left to view the report for that source immediately.

You can choose to view the report by source – page or solid text. By default, the source report is displayed page by page. To switch the view mode, click on "Show full text". When you switch to solid text view, the button changes to Show text page by page. Click it to go to page view.

Another way to view the source report is to go to the source report from the block in the text. Click on the source number at the end of the block, then click on the source name.

Recent advance	es in understanding the ecology of marine s	ystems have been g
growing availab	pility of metagenomic data, which provide in	nformation on the id
functional pote	ntial of the microbial community in a partic	ular place and time
1	r 5 terabases of metagenomic data from 61	
Atlantic and P	Source: Marine microbial metagenome	ected on GEOTRAC
geographic tra	Link: https://ora.ox.ac.uk/objects/uu	cond set represent
data, collected	Date: 13 Aug 2019 Search module: INTERNET PLUS	it two long-term o
ALOHA and BA	 Inese metagenomes contain genomic in 	nformation from a d

Picture 48. Going to the source report from the text block

The page "Report on the source" will be opened with the selected block.

10.1.5. Viewing report history

When you recheck the document or edit the report, all previous versions of the reports are




saved in the system. To view the report history, click the "More" button and select the "Report history" item in the top menu of the full report.

🚯 PARAMETERS FOR CHECKING 🗹 EXPORT 🖳 CERTIFICATE 🖺 SAVE	e More
Summer Climate Change in the Midwe	Manual CHECKED: 04.06.2020 14:38:58 Printable version CHECKED:
TEXT VIEW ORIGINAL VIEW	Direct link to the report IX X 1/18 × >>I
Summer Climate Change in the Midwest and Great Plains due to Agricultural Development during the Twentieth Century The MIT Faculty has made this article openly available. Please sh how this access benefits you. Your story matters . Citation Nikiel, Catherine A. and Elfatih A. B. Eltahir et al. "Summe Change in the Midwest and Great Plains due to Agricultural Development during the Twentieth Century." Journal of Climate :	ner Climate 2 32,
17 (September 2019): 5583-5599. © 2019 American Meteorolog Society	gical
As Published http://dx.doi.org/10.1175/jcli-d-19-0096.1 Publisher American Meteorological Society Version Final published version	

Picture 49. Viewing report history

A separate window will open, where you will see a summary of all the reports made for this document. Reports in history are sorted in descending order by the build date.

To go to the detailed view or correction of one of the reports, click the "Open" button. The report opens on a new page.



Picture 50. Report history

You can also view all the corrections to the report, go to a specific correction and change it. The correction is created automatically when you edit the report.



SIMILARITY 5,35% TEXT RECYCLING 75,95% CITATION	IS 0,62% OR	IGINALITY 18	,08%		OPE
CORRECTION: 26.12.2022 12:43:26					
COMMENT					
One source deleted					
REVISIONS					
Legal information system «Adilet» search module	0%	0%	0%	100%	
Bibliography separation module	0%	0%	0,05%	99,95%	
ELS joint collection	0%	0%	0%	100%	
Search module INTERNET PLUS	5,07%	0%	0%	94,93%	
RSL collection	0%	75,95%	0%	24,05%	
Citations	0%	0%	0,58%	99,42%	

Picture 51. Information on the edited report in the reports history

10.1.6. Editing of the text blocks

You may adjust the check result not only by excluding or changing the source's type, but also by deactivating text blocks. This feature allows to not use the selected blocks when calculating the percentages.

To disable the necessary text block in the report, left-click on it. The "Deactivate" button will appear. After this the block will change color to gray. The system will automatically recalculate the percentages, but without accounting disabled text block.



Full re		ORT	
(i) PARAMETERS	FOR CHECKING	ERTIFICATE SAVE MORE	
Summer (Climate Change in	the Midwest a	CHECKED: 04.06.2020 14:38:58 CORRECTION: 16.06.2020 17:03:02
TEXT VIEW	ORIGINAL VIEW	hide source numbers	I< < 1 /18 ▼ > >I
Summer Clim	ate Change in the Midwest and	Great Plains due	
to Agricultura	l Development during the Twer	tieth Century	
The MIT Facu	lty has made this article openly	available. Please share	
how this acce	ss benefits you. Your story mat	ters .	
Citation Nikie	l, Catherine A. and Elfatih A. B. I	Eltahir et al. "Summer Climate	
Change in the	Midwest and Great Plains due	to Agricultural	
Development	during the Twentieth Century.'	Journal of Climate 32,	
17 (Septembe	er 2019): 5583-5599. © 2019 Ar	nerican Meteorological	
Society			
As Published	http://dx.doi.org/10.1175/jcli-d-	19-0096.1	
Publisher Am	erican Meteorological Society		
Version Final	published version		
Citable link ht	tps:// hdl.handle.net/1721.1/12	25562 < Deactivate	
Terms of Use	Article is made available in acco	ordance with the publisher's	
policy and ma	ay be subject to US copyright lav	v. Please refer to the	
nublisher's sit	te for terms of use		

Picture 52. Disabling the block in the report

To take the disabled text block into account again, find the disabled text block and click on it. The "Enable" button will appear. After clicking on it, the result will be recalculated again.

You may find out if there are the disabled text blocks and enable all the text blocks at once in the check results panel. To enable all text blocks, click on the "Enable All" button and the system will automatically recalculate the check result.

0%	SELF-CITATIONS
17,85%	CITATIONS
60,08%	ORIGINALITY

Picture 53. Enable all text blocks button

Also you may find out if there are any disabled text blocks in the workspace. In the list of documents a report that contains disabled text blocks has one more status : "The report contains



disabled blocks".

Name 🖕		Upload date 🗘	Originality		
Summer Climate Change in the Midwest and Great Plains due to Agric	\odot	29 May 2020 13:40	60,08%	SEE RESULTS	
Marine microbial metagenomes sampled across space and time	\bigcirc	29 May 2020 13:40	2,48%	SEE RESULTS	



Please note that text blocks of different sources may intersect with each other - one smaller block may be the part of the bigger block. After deactivating a large text block, the small text block will be deactivated with it.

You may use navigation on disabled blocks to the right of the report's text.


10.1.7. Comments to the report

On the full report page in the original view mode, you can make comments to the report. This functionality is not available in a text view mode. The comments button is located at the top panel of the page. The current number of comments to the report is shown in parentheses next to it. When you click on the button, a drop-down list of suggested actions opens. You can leave your comment and view all comments.

ACTION		Amargasaurus			I< < <u>1/4</u> > >I	CHECKED: 31.0 CORRECTION: 1	3.2021 18:05:00 13.04.2022 10:53:25	
Text view	Original view		(0)	All blocks	~ < >	96,11%	SIMILARITY	
						0%	TEXT RECYCLING	
ajadasaurus	is a genus of sauropod dinos	aur from the Early Cretaceous epoch (late				0%	CITATIONS	
erriasian to V	/alanginian stages, between 1	45 and 132.9 million years ago) of				3,89%	ORIGINALITY	
orthern Pata	gonia, Argentina. It was first o	lescribed in 2019 based on a single specimen found in						
010 that inclu	udes a largely complete skull a	and parts of the neck. The only species is Bajadasaurus				SOURCES:	7 FROM 7	RECALCULATE
ronuspinax.	The genus is classified as a m	ember of the Dicraeosauridae, a group of relatively				96 🗘	Search module 🖓	Sources 🖓
mall and sho	rt-necked sauropods					. [01]	Bajadasaurus - gaz.wik	d 🔍 *
ajadasaurus	sported bifurcated (two-pro	nged), extremely elongated neural spines extending from				[01] 95,41%	Cross language searc	
a nack Simil	larly elongated spines are kno	own from the closely related and more completely						

Picture 55. Comments button

As you scroll down the document, the comments button moves to the right corner next to the page switching.



Picture 56. Comments button when scrolling

10.1.7.1. Adding a comment

When you click on "Create Comment", the mouse cursor changes to a special indicator of document areas where you can leave comments. In some areas of the document, the cursor may become translucent and colorless, which means you cannot leave comments on this area. A special mark is set at the place of the click, and a text box opens next to it. A comment length is limited to 250 characters.



present	This term m	ust be replace	al		ing	Microsoft	Excel.	It was the
authent		ust be repiace			ıgl	sh as a fo	reign	language t
You g					h	ample th	rough	conferenc
present					ind	ings. In ad	dition,	summarie
of the f					idy	for comm	ent an	d checking
Inter vie	27 from 250 s	symbols	Car	ncel Sav	ve We	re sent to	mem	bers of th

Picture 57. Comment creation window

When you save a comment, a comment icon appears near the place where you made the mark.

Interviews can be viewed as a *resource*, offering a "window onto life beyond the view" or as *data* itself "reflecting a reality jointly constructed by the interviewee and the interviewer" together (Rapley, 2001, p. 305). In addition, there are a number of different qualitative interview approaches, including phenomenological, ethnographic, feminist, oral history and life history, and dialogic or confrontational interview, and whilst they all used question-and-answer as their basic formats, the purposes of each approach are different. "Phenomenological interviews are commonly used to elicit... descriptions of concrete lived experiences [whilst] ethnographic interviews are frequently... to do with [questions of] culture and oral history interviews have been used... to construct historical accounts" (Roulston, 2010, pp. 28-29).

Picture 58. Comment icon on the page

If you change your mind about creating a comment, you can click anywhere outside the comment, or click the "Cancel" button in the text box, and it will disappear. After that, the cursor will become standard. To re-comment, click the comment button at the top panel of the page again and select "Create Comment."

10.1.7.2. Actions with comments

Each user with the rights to comment can do the following:

- Viewing;
- Editing;
- Deleting.

You can edit your comments. To do this, click the "Edit" button, make changes and click the "Save" button. If you want to delete your comment, click the "Delete" button and confirm the deletion.

10.1.7.3. View all comments

To view all comments at the report, click on the comments button at the top panel and select

the "View all comments" option in the drop-down list. You will see a modal window with a list of comment links. A comment link displays a full text of the comment in the report. Viewed links are highlighted in grey.

Comment	Page	Creation date
it's very large style.	page 100	01 Nov 2021 01:47
Why not CCELTA?	page 115	01 Nov 2021 01:53
I don't like the fact that the list of items is torn like that.It is necessary either to shorten the text, or to supplement it. This is not critical, but I would like to see the list on one sheet. It feels better that way.And I think about commission	page 124	01 Nov 2021 01:57
Where is description?	page 126	01 Nov 2021 01:58
Many undeciphered abbreviations	page 133	01 Nov 2021 01:59
Too much indentation. Or change in other cells, or make less here	page 193	01 Nov 2021 02:01
All headings and subheadings have a different alignment. Need to deal with formatting	page 203	01 Nov 2021 02:04

Picture 59. List of report comments

You can click on the comment text only. After the click, the modal window with the comments list will close, a page with the comment will display and a textbox with the comment will open on the page.

10.1.7.4. Access by a direct link

A direct link to a report displays all comments in a read-only mode. You cannot create and edit comments even if you are logged in to the system.


10.1.8. Editing of the sources' list

When viewing the full report, you can, if necessary, to perform the following actions with sources:

- Changing of source type;
- Source exclusion;
- Source recovery.

To manage sources, you can click on the icons in the block on the right side of the full report page.






Picture 60. Source buttons

10.1.8.1. Changing of source type

To change the type of source, you need to click on the "Pencil" icon.



Picture 61. Icon for changing the source type



Clicking on the icon will open a modal window for detailed correction of the source type. In this block, it will be necessary to indicate the new type, the reason for changing the source and your comment on the changes.

The list of reasons depends on the selected source type. For each of the reasons, there is a tooltip that is visible when hovering over the question mark. If you did not find a suitable reason, you can select "Other", but with the obligatory indication of a comment.

~		
~		
=		
*		
		1.
	v	

Picture 62. Type, reason for change and comment

The reason and comment will be displayed in reports and printed forms.


D.Bri	ning				CHECKED: 01.11.2021 01: CORRECTION: 15.11.2021 04:	
N₂ ∨	Report share v	Source 👻	١	Valit from V	Search module 🗸	
[01]	47,97%	The challenges faced by teachers of English as a foreign language to young lea	P	31 C c Reason:	ation on a source type : Improper source usage ent: This is my another paper.	
[02]	42,41%	The challenges faced by teachers of English as a foreign language to young lea	P	31 (ct 2021	PLUS	
[03]	0%	The challenges faced by teachers of English as a foreign language to young lea	P 3	31 Oct 2021	Search module INTERNET PLUS	
[04]	5,84%	not specified	1	14 Nov 2021	Citations	

Picture 63. Clarification on the type change in the summary report

10.1.8.2. Source exclusion

To exclude a source, you need to click on the "Trash" icon.





Picture 64. Source exclusion icon

When you click on the icon, a modal window will open to confirm the action with an indication of the reason and a comment. It is obligatory to indicate the reason.



You are going to exclude a source . Once excluded, it v sources or taken into account when calculating the per filter in the sources panel and re-enable it.	0 1 2 1
To exclude a source, provide the reason for exclusio information about the source, as well as in the printed	
	report
REASON FOR SOURCE EXCLUSION: *	
Select a reason	*
The linked source text is not available ⑦	-
The source was published later than the document 🕐	
Copy of the checked document ⑦	
Copy of a source from the list of sources ⑦	
The document is not a paraphrase of a source $$	
No cross-lingual text reuse from the source $$	
Incorrectly defined bibliography 🕜	
Low overlapping percentage 🕜	-

Picture 65. Source exclusion icon

10.1.8.3. Source recovery

If you need to restore an excluded source, first, in the block on the right, you need to filter the sources by their status. To do this, in the filter panel, select "Sources" and select "excluded sources" from the list. The content of the block will be reloaded, instead of the exclude icon, the source restore icon will appear.



SOURCES:	0 FROM 93 RECALCULATE
96 🗘	Search module 7 Sources 7
[04] 0%	not spe active sources Citation excluded sources
[60] 0%	М-во образования и науки Р 🔹 RSL 🗐 🖉 🖉 🖪
[61] 0%	Назаров, Александр Дмитри 🔹 RSL 🗐 🖉 🖉 ট
[62] 0%	Фетви Адгой Джилия Ресурс • RSL I 8 0 5
[63] 0%	Transforming peasants, prope ELS joint collection Image: Collection

Picture 66. Source recovery

When you click on the restore source icon, a modal window for confirming the action will open.



RESTORE	A SOURCE		0
		isly excluded sourc e into account when ca	vill be displayed in the e.
Confirm the res	storation of a source	?	
			RESTORE THE SOURCE


Picture 67. Recovery confirmation

Upon confirmation of the action, the source will reappear in the list of active ones.

10.1.9. Editing text similar blocks

You may adjust the result of the check not only by removing the source, but also by disabling individual similar blocks in the text. This allows you to ignore the selected blocks when calculating the percentage of text similarity or quotation.

To disable the particular block in the report, click it with the left mouse button. The "Deactivate" button appears. After clicking the "Deactivate" button, the block will change its color to gray. The system will automatically recalculate the percentage of text similarity without taking into account the block you have turned off.



Picture 68. Disable a block in a report

To restore the block in the report, find the disabled block and click on it. The "Enable" button appears. Click on it, and the result will be recounted.

You can see if there are any blocks off, and include all the blocks in the results panel at once. To enable the blocks, click the "Enable all" button, the system will automatically recalculate the result of the check.



22,07%	
0%	SELF-CITATIONS
17,85%	CITATIONS
60,08%	ORIGINALITY

Picture 69. Enable all text blocks button

If any report has disabled similar blocks, you can find out about them in your workspace. In the list of loaded documents, the report, which contains the disabled blocks, has another status "The report contains disabled blocks".

([*]) REC	THECK MOVE DELETE REPORT HISTORY STATE FROM INDEX					
	Name 💲		Upload date 🗘	Originality		
	Summer Climate Change in the Midwest and Great Plains due to Agric	Ø	29 May 2020 13:40	60,08%	SEE RESULTS	*
	Marine microbial metagenomes sampled across space and time	\odot	29 May 2020 13:40	2,48%	SEE RESULTS	


Picture 70. Document status on the presence of disabled blocks

Please note that the blocks from different sources can overlap – one smaller block may be the part of the larger block. If you deactivate a larger block, the small block will be deactivated as well. Moreover, the shutdown of the small unit will occur on all sources to which it is included.

If the blocks intersect partially, only those fragments of the block that are not included in the intersection are disabled.

To save time when viewing disabled blocks in a report, use the navigation in the menu at the top of the report text. Click on the "All blocks" button. A navigation window will appear. Select "Disabled blocks". With it, you can go to the next or previous block by clicking on the left ("Previous") or right ("Next") buttons.





Picture 71. A navigation window in the full report

10.2. Brief report

To go to the brief report view page, click the "See results" button located on the line with the checked document. After this select "Brief report" button.

HOME / WORKSPACE / CHECK RESULTS									
Originality 18,08%	Similarity	5,35%	Citations	0,62%	Text recycling	75,95%			
FULL REPORT BRIEF REPORT R				PRINT ~	🛃 EXPORT 🗸	C CREATE LINK ✓			
Document properties	Initial file name	Carrier Intera	Carrier Interaction in Quantum Nanosystems.pdf						
Document structure	Document authors	not specified		not specified					
	Document name	Carrier Intera	iction in Quantum Nanosys	stems					
Search by images NEW	Document type	Not specified							
A∕ Text metrics NEW	EDIT PROPERTIES								

Picture 72. Brief report selection

Brief report consists of distribution of percentages of originality, text similarity, quotes and text recycling as well as a list of similarity sources.



			FULL REPORT	WORKSPACE MORE				SIMILARITY 95,41%
	gasaurus						IECKED: 31.08.2021 ECTION: 26.12.2022	TEXT RECYCLING 0%
N₂ ∽	Report share v	Text share ∽	Source v	Valid from	 Search module v 	Report blocks v	Text blocks v	CITATIONS 0%
[01]	95,41%	95,41%	Bajadasaurus - gaz.wiki	P before 2011	Cross language search	5	5	ORIGINALITY
[02]	0%	70,44%	Bajadasaurus Jurassic P	e before 2011	Cross language search	0	8	4,59%
[03]	0%	68,38%	Bajadasaurus pronuspin	P before 2011	Cross language search	0	10	SOURCES: 7
[04]	0%	1,01%	Amargasaurus	8 31 Aug 2021	Search module INTERNET PLUS	0	2	
[05]	0%	0,72%	efimenko_m_v_koncepciy	14 May 202) Institutes Unity collection	0	1	
[06]	0%	0,58%	Suchomimus	8 31 Aug 2021	Search module INTERNET PLUS	0	1	
[07]	0%	0,44%	Zoo - RIN.ru	P 31 Aug 2021	Search module INTERNET PLUS	0	1	

Picture 73. Brief report

For most sources in the list there is an external link to the location of the document or source text on the Internet. To go to the web page, click the icon next to the source name.

N₂ ∽	Report share v	Source v		Valid from $$	Search module 🗸
[01]	21.03%	1036988214-MIT.pdf	P	10 Oct 2018	Search module INTERNET PLUS
[02]	0%	Downloadable Full Text	P	08 Oct 2018	Search module INTERNET PLUS
[03]	0.43%	Downloadable Full Text	P	04 Apr 2020	Search module INTERNET PLUS

Picture 74. Link in the list of sources to the source page on the Internet

In the top panel of the page you will see the icon buttons, allowing you to proceed to the following actions:

- parameters for checking;
- export of the report;
- downloading the Certificate;
- save the edited report;
- link to user manual;
- view reports history;
- report printing layout;
- view text metrics;
- get a direct link to the report.

To get more information about the results of the check, open the full report by clicking on the "Report" button.

10.3. Report with formatting

A formatted report allows you to view the results of the document check while maintaining the original formatting (indentation, fonts, titles) and displaying tables and figures.

To view the report with the formatting, switch the tab "Text view" to the tab "Original view".



Full report ® BRIEF REPORT	r					
(i) PARAMETERS FOR CHECKING	FICATE SAVE MORE					
Summer Climate Change in th	ne Midwest a	CHECKED: 04.06.2020 14:38:58 CORRECTION: 16.06.2020 17:59:15				
TEXT VIEW ORIGINAL VIEW	hide source numbers	I< < 1/18 v > >I				
Summer Climate Change in the Midwest and Great Plains due to Agricultural Development during the Twentieth Century						
The MIT Faculty has made this article openly avai	lable. Please share					
how this access benefits you. Your story matters						

Picture 75. Original document view in the full report

The Original view tab, as well as the Text view tab, displays reused parts and a list of sources, but the markup is applied to the original formatting of the document.

It is worth noting that when you export the pdf report, the text of the document is downloaded without any formatting.

You can view the document in its original form in the "Version for reading". To do this, click on the name of the document in your account. The text view of the document opens, then click the "Original view" tab.

Version for reading[®]

Summer Climate Change in the Midwest and Great ...

TEXT VIEW	ORIGINAL VIEW	I< < 1/18 × >
Summer Clim	ate Change in the Midwest and G	at Plains due
to Agricultura	I Development during the Twenti	h Century
The MIT Facu	lty has made this article openly av	ilable. Please share
how this acce	ss benefits you. Your story matte	
Citation Nikie	l, Catherine A. and Elfatih A. B. Elt	nir et al. "Summer Climate
Change in the	Midwest and Great Plains due to	vgricultural
Development	during the Twentieth Century." Jo	rnal of Climate 32,
17 (Septembe	er 2019): 5583-5599. © 2019 Amer	an Meteorological
Society		

Picture 76. Original document view in the Version for reading

Please note that when adding for check files in txt, htm, html, pptx format, direct text input, you cannot view the original formatting of the document.

10.4. Document Structure

You can find sections of the checked document on the check results page in the "Document Structure" tab. The structure is extracted automatically while document is being checked for similarity.

Here you can see information about the following sections:

- Title page;
- Content;



- Main part;
- Bibliography;
- Appendix.

(i) System can now determine the structure of the document and display the sections found. A feature to account for structure when checking a document will be added at a later time.

LIST OF SECTIONS IN THE DOCUME	DOCUMENT STRUCTURE
TITLE	BIBLIOGRAPHY Included in check
Vincluded in check Number of pages: 1 On pages: p.1 Share of the document text: 1,11%	 Included in check Number of pages: 7 On pages: p.8-14 Share of the document text: 28,89%
 CONTENT Included in check not found 	 APPENDIX Included in check Number of pages: 3 On pages: p.14-16 Share of the document text: 10,15%
 MAIN Included in check Number of pages: 7 On pages: p.2-8 Share of the document text: 59,83% 	
* The colored blocks in the document thumb blocks matches the order of sections in the d size of sections in the document. Partitioning "Document structure" button.	ocument; the size of blocks does NOT match the

Picture 77. Document Structure

The following information is provided for each section:

- Whether it has been included in the check or not;
- The number of pages in the section;
- Page numbers for each section;
- Section's text share compared to the text of the entire document
- If a section has not been found by the system, a special notification will be displayed.

The block on the left shows a diagram of the document structure. Each section is marked in its own color. The sequence of the sections on the diagram reflects the sequence of the sections in the document.

When you click on the "Document Structure" button, a detailed analysis of the document divided by structure opens in a new tab.



	- TITLE	
Appendix		
Data Overview and Links to Materials	CONTENT	
We outline the sources of each component of our data below.		
- Mask use by zlp code The New York Times commissioned Dynata, an online market re-	MAIN	
search firm, to collect a large scale survey in the United States about mask use. We study		
the primary outcome of interest described in The New York Times's introduction of the		
data: the probability (chance) that, if one has five random encounters, all people encoun-	BIBLIOGRAPHY	
tered are wearing masks. Zip code level measures are produced using the geographic		
location of survey responses. Data was retrieved using a web crawling approach. For		
additional information, see: 'A Detailed Map of Who Is Wearing Masks in the U.S.' By	APPENDIX	
Josh Katz, Margot Sanger-Katz and Kevin Quealy. July 17, 2020. The New York Times.	Title in the document: не указано	
- County-level administrative covariates Economic and political measures are drawn	Number of pages: 3	
from Fajgelbaum et al. (2019) and available for download here: https://bit.ly/3aTo1SF.	On pages: <u>14</u> - <u>16</u>	
Data on social capital and demographic information are derived from a collection of mea-	Percent by text: 10,15%	
sures published by the United States Census Bureau and collated by the United States		
Congress Joint Economic Committee. For more details see "The Geography of Social		
Capital in America' https://bit.ly/39HJUEy. Additional data, including the social capital		
index, are drawn from an updated version of the data published by Rupasingha, Goetz		
and Freshwater (2006).		
- Zip code-level administrative covariates The rural index is based on a rural classifica-		
tion system established by the United States Department of Agriculture Economic Re-		
search Service. Whole numbers (1-10) delineate metropolitan, micropolitan, small town,		
and rural commuting areas. We thank Thomas Pepinsky for sharing the zip code version		
of this data, which is used in work on partisanship and COVID-19 behaviors (Gadarian,		
Goodman and Pepinsky, 2020). For more details, see https://bit.ly/3fn3BTH.		
- COVID-19 cases and deaths County-day level information about COVID-19 cases and		
related deaths are tracked and compiled by the New York Times from various government		
A-1		

Picture 78. Appendix

The panel on the right contains blocks with the sections. When you click on the block, you can see the information on the particular section. Clicking on the page number takes you to the respective page of the document. The text in the document is highlighted by the color of the corresponding section.

On this page you can edit the structure of the document recognized by the system if you see any errors. The following actions are available to you:

- adding a section;
- changing the borders of a section;
- deleting a section.

10.4.1. Adding a section

To add a new section that was not recognized by the system automatically, you need to open the menu for the desired section and click the "Add section" button.

Picture 79. "Add section" button

After clicking this button, you will need to put markers for the beginning and end of the section being added. The start marker appears first. It should be placed on the first line of the section in any place. After setting the start marker, you need to put the end marker on the last line of the section in the same place. If everything is put down correctly, click "Apply" to complete the markup of the section.

Picture 80. Adding a section



10.4.2. Changing the section borders

You can edit the borders of an existing section. To do this, click on the "Change borders" button near the beginning or end of the section. Then you can left-click on the marker that you want to move. With the next mouse click, you can set the marker to a new position. When you are satisfied with the changed section borders, click "Apply" to complete the editing.

_

Picture 81. Changing the section borders

10.4.3. Deleting a section

You can also delete a section if it was identified incorrectly and needs to be removed. To do this, click the "Delete section" button at the beginning or end of the section. Please note that you cannot delete the "Main part" section, since it is mandatory.

Picture 82. Deleting the section

10.4.4. Saving changes and refreshing check results

After making changes to the structure of the document, they need to be saved. To do this, click the "Save" button at the top of the screen.

Picture 83. Saving changes in the structure

Please pay your attention that after saving the changes in the structure, they are not automatically applied to the report. In order to see the results of checking the document with the updated structure, you need to recheck the document. For more information, see <u>Document</u> <u>recheck</u>

10.5. Suspicious document

A suspicious document is a document that shows signs of technical ways to change the text or format, such as replacing characters, inserting invisible text, etc. Such signs may indicate that the author tried to cheat the system to hide text reuses and artificially increase the originality percentage. If such signs of cheating have been found in the document, a special flag will be put for it in the workspace and the list of documents of the company.

Q Search by document name			I< < 1/1 v >
C) RECHECK I MOVE I DELETE Q REPORT HISTORY See TO Se FROM INDEX Name	Upload date 👌	Originality	
Dynamic Learning and Pricing with Model Misspecification	() 17 Jun 2020 18:58	100%	SEE RESULTS
Summer Climate Change in the Midwest and Great Plains due to Agric	29 May 2020 13:40	59,79%	SEE RESULTS
Marine microbial metagenomes sampled across space and time	29 May 2020 13:40	2,48%	SEE RESULTS

Picture 84. Suspicious document indicator in the Workspace

Please note that if you see a suspicious flag, we recommend that you carefully read the check report and the suspicious fragments found in the document. Detection of suspicious documents is an auxiliary tool for analysis. The final decision is always up to the verifier.



The information that the document shows signs of a cheating is displayed in the check reports, in the printable versions, and in the downloaded reports. In a brief report the page numbers with the detected potential cheating attempts are displayed.

	RESULTS C EX		FULL REPORT	ORKSPACE MORE				SIMILARITY 85,23%
tude	ent's thes	is_1				CHE	CKED: 06.12.2022 12:08:22	TEXT RECYCLING 0%
N₂ ∨	Report share v	Text share v	Source v	Valid from $$	Search module 🗸	Report blocks v	Text blocks v	CITATIONS 0%
[01]	54,98%	78,02%	petrova_v_s_proekt-empi	29 Oct 2017	Institutes Unity collection	144	178	ORIGINALITY
[02]	1,72%	17,66%	How Does Owning a Dwe	30 Apr 2022	Institutes Unity collection	10	56	14,77%
[03]	2,72%	16,98%	Accounting and Valuatio	29 Apr 2022	Institutes Unity collection	12	57	SOURCES: 65
[04]	1,72%	14,98%	How Does Owning a Dwe	01 May 2022	Institutes Unity collection	5	49	
[05]	0,8%	13,17%	Does It Pay to Bet Agains	8 30 Apr 2016	Wiley Open Library	3	51	The following reuse hiding methods may have been used::
[06]	1,58%	12,97%	Does It Pay to Bet Agains	8 30 Apr 2016	Search module of Wiley Open Library paraphrases	4	30	INSERTION Pages: 4, 10, 11, 12, 15, 16, 18, 20, 21 more on page 22
[07]	1,8%	10,89%	Gaussian Processing Mo	01 May 2022	Institutes Unity collection	3	34	TEXT COHERENCE
[08]	0,86%	10,65%	Owning a Dwelling or Ha	01 May 2022	Institutes Unity collection	3	37	This document may contain an attempt to cheat the system. Be
[09]	2,5%	8,47%	https://aisberg.unibg.it/r	8 25 Nov 2022	Internet search module	7	22	careful when working with the report.

Picture 85. Brief report for a suspicious document

The printable version of the check report provides information about potential cheating attempts. It shows the types of cheating and page numbers where suspicious fragments have been found. Similarly, information is displayed in the downloaded versions of reports.

Text reuse report	Text reuse report No.1								
Author: Checked by: Organization: testvu	z3 the Antiplagiat service - <u>http://test</u> v	vuz3.antiplagiat.ru							
DOCUMENT INFORMATION	REPORT INFORMATIO	N							
Document No.: 503 Uploading start: 06.12.2022 12:01:08 Uploading duration: 00:00:19 Initial file name: petrova_v_s_proekt- empiricheskiy-analiz-anomaliy-nizkogo- urovnya-riska.pdf Document: Student's thesis_1 Text size: 118 KB Number of characters: 120932 Number of words: 16494 Number of sentences: 98	over the Internet (UZRu), Sec Internet paraphrases, Searc collection, RSL collection, M Модуль поиска "testvuz3", module of Internet paraphr. Wiley Open Library, Cross la	in: Yes							
SIMILARITY 85,23%	TEXT RECYCLING	CITATIONS 0%	ORIGINALITY 14.77%						
SUSPICIOUS DOCUMENT	ve been used: INSERTION on pages	: 4, 10, 11, 12, 15, 16, 18, 20, 21, 23 more on page 21 ; TEXT CO							

Picture 86. Printable version for a suspicious document

A special block with a suspicious mark is displayed in the full report for a suspicious document. Click on the suspicious sign in the top menu. A window with the words "Suspicious document" and the "Details" button will appear. Click "Details" to go to the "Suspicious document" page and view detailed information about the suspicious text fragments. If the loaded document does not have formatting, instead of transferring to the "Suspicious document" page, the system will display page



numbers with potential attempts to cheat the system.

HOME / WORKSP	ACE / CHECK RESULTS	/ FULL REPORT							
	N Student's thesis_1			I< < <mark>22/49 ⊻</mark> > >I			CHECKED: 06.12.2022 12:08:22		
Text view	Original view		(0) 🛕	All blocks	~ < >	85,23%	SIMILARITY		
						0%	TEXT RECYCLING		
Table 1: Portfo	olio Summary Statistic	cs, July 1930 to December 2016	Suspicious doc	ument		0%	CITATIONS		
The table repo	orts summary statistic	cs for beta-sorted value-weighted portfolios. "H" corresponds to	DETAILS			14,77%	ORIGINALITY		

Picture 87. Full report for a suspicious document

Please note that if the uploaded document has no formatting, then instead of the link to "Suspicious document" there are the page numbers with potential cheating attempts displayed in the full report.

You may also access information about possible cheating on the "See Results" page. To do this, click on the "Details" link in the red suspicious document warning block.

HOME / WORKSPACE / CHE	CK RESULTS						
Attention! The	document is suspiciou	s: attempts to hide reus	e have been found. <u>Deta</u>	<u>iils</u>			
Originality	14,77%	Similarity	85 <mark>,23%</mark>	Citations	0%	Text recycling	0%
FULL REPORT	BRIEF REPORT	REPORT HISTORY			PRINT ¥	Ł EXPORT ↓	CO CREATE LINK 🗸

Picture 88. Suspicious document on "See results" page

The "Suspicious document" page displays detailed information about the suspicious fragments found in the document. You can read the text of the document in the form in which it was uploaded into the system (keeping the original formatting). If a fragment is found on the document page that may containg cheating attempt, it is marked in red.

Suspicious document 💿	FLAG ENABLED
Vector methods of analysis cheating	This page displays possible attempts at cheating the system. Be careful when working with the document
The New University MASTER'S THESIS Matthew Blatt Application of vector methods of analysis for validation of the hypotheses	IN DOCUMENT ON PAGE The following cheating methods have been detected in the document: INSERTION ① ~
Chapter 1 Introduction Historically, model checking has been successfully used to find errors in hardware and protocol designs. Later, it was adapted to analyze software	

Picture 89. "Suspicious document" page

To view information about suspicious fragments for the entire document, click the "In document" tab in the right panel. To view the page numbers, click the name of the cheating method. To go to any of the listed pages, click on the desired number.




e following cheating me tected in the document	
INSERTION ①	^
Very small text	
On pages:	
1	
Small font	
On pages:	
1	
Change text color to color	background
On pages:	

Picture 90. "In document" tab

The "On page" tab provides information about suspicious fragments on the selected page of the document. To display certain cheating methods, check them and uncheck the others. The selected cheating methods are highlighted in red on the page, the removed cheating methods are underlined with a red line. To select all suspicious fragments on the document page at once, click on "Display all". In order to remove the selection from all the suspicious fragments, click on "Hide all".

It is also possible to review the text of the cheating, if it was extracted during the document processing.





Picture 91. Text revision on the "On page" tab

If the document does not contain cheating, you can disable the "Suspicious document" flag. To disable the flag, use the enable/disable button in the upper right corner of the "Suspicious document" page. You can leave a comment explaining why you disabled the "Suspicious document" flag. If you view the "Suspicious document" page through a direct link, you will not be able to disable the "Suspicious document" flag.

IMPORTANT!!	▲ FLAG ENABLED
You are removing the "Suspicious document" flag. You can include a comment explaining why a flag was removed.	This page displays possible attempts at cheating the system. Be careful when working with the document
Information on manually removing a flag will be output in printed reports. Are you sure you would like to remove the "Suspicious document" flag? Your comment	
ß	

Picture 92. Disable the "Suspicious document" flag

If you disable the "Suspicious document" flag:

- the respective icon will not be displayed in the Workspace;
- the brief report will not display information about the cheating;
- in the downloaded forms of reports and in a printable versions the information will appear in the "Suspicious document" section that the flag was disabled, and comments will be displayed;
- in the full report, you will see that the "Suspicious document" flag has been removed the



corresponding icon will become gray;

• you still have access to the "Suspicious document" page.

Full report 🛛	BRIEF REPORT	
(i) PARAMETERS FOR CHECKING	EXPORT 🕅 CERTIFICATE 🖺 SAVE MORE	UTT VIEW

Picture 93. Disabled "Suspicious document" flag in the full report

Potential cheating attempts view is different for documents that have been uploaded prior the availability of cheating detection function. For a brief report, the printable version and downloaded reports the text will be placed in "Suspicious document" blocks with a warning of the presence of suspicious fragments. For a full report, you will see the same text when you hover over the "Suspicious document" page is not available in this case.

ull rep		REPORT	The badge means that this document should signs of the overstatement of its originality by should be done: firstly, compare the text in th be checked. For example, if the report contain	sed on specific document form e report and in the document,	at features. What which was sent to	REUSE CITATIO	
PRINTABLE VER	SION C EXPORT CERT	IFICATE 🖺 SAVE MORE	document, words are "glued" together or con trying to deceive you and the system. Howeve	tain irrelevant letters, it means	that someone is		
Vector m	ethods of anal	vsis cheating	was an attempt at deception. The text may co	ntain a lot of foreign words, ver	y long words, or	TEXT EXTRACTE	D USING OCR
	document text: English)	words not found in the dictionary. This freque specific terminology (chemistry, law, etc.). DO PRESENCE OF THIS MARK. Instead, open the r	NOT FULLY RELY ON PERCENTA		BLOCK S	EARCH
TEXT VIEW	ORIGINAL VIEW		hide source numbers	۱< ۲	1/69 ->>	Reuse Citations	PREVIOUS
						Disabled blocks	NEXT

Picture 94. Potential cheating attempts view for old versions - full report

10.6. Downloading the report

Downloading the report will allow you to save the report as a PDF file. To download the report to your computer, click on the "Export" button on the report viewing page.

Export report)				
	HISTORY				
Symbolic Invariant Ve	rification for Systems			CHECKED: CORRECTION:	13.07.2018 12:23:46 13.07.2018 12:58:30
Report type	Program for opening the file	Status	Retrieve report	Viewer	
STANDARD (PDF)	Adobe Reader.	Not generated	EXPORT	Go to the pro	ogram's website

Picture 95. Report downloading status window

Page will appear "Export report". To start the report generation, click on the "Export" button. After some time, the button will change to "Download". Click on the "Download" button to download the file. The download will start automatically, or the file download and save dialogue window will open, depending on your browser settings.

In the downloaded report you will see information about the report and the loaded document, a terminological block with the description of the terms "Similarity", "Quotes", "Originality", "Text recycling", a list of sources and text with markup of quotation blocks (if the user unloads the full report).

10.7. Direct link to report from "See results" page

A direct link to the report allows you to give access to the report to any user, including users unauthorized in the system. This link allows you to view the report, however you cannot make

changes to the report.

To get a direct link to a report, select the document in the workspace and click the "See results" button. After this click on "Create link" button and select "To full report" or "To brief report" in the drop-down list. A link to the selected type of report will be copied in the clipboard.

Originality	3,89%	Similarity	96,11%	Citations	0%	Text recycling	0%
FULL REPORT	BRIEF REPORT				☐ PRINT ∨	. L. EXPORT ∨	CO CREATE LINK V To full report
							To brief report

Picture 96. Direct link to the report from "See results" page

Also you may get a direct link to a report from "Full report" or "Brief report" pages. For example, to get a direct link to a full report, open the "Full report" page and click "More" in the top menu, then click the "Direct link to the report" button. A link to the full report will be copied in the clipboard.

	OR CHECKING	C EXPORT		SAVE	MORE
	•				Manual
Dynamic L	earning	J and P	ricing wit	h Mo	Contraction and the second second
- Juna mile E	curring	Sunar	incling with		Report history
	curring	Sundi	incing with		Report history Printable version

Picture 97. Direct link to the report from "Full report" page

The mechanism for obtaining a direct link to a short report is the same as to a full report.

An external user who has followed a direct link will be able to view the report and text metrics (if this function is enabled), print the report to a page, and export the report (if this function is enabled). You cannot edit a report using a direct link.

The user can also share a link to a recheck report or a report with corrections. To do this, in the report history, open the version of the report or adjustment you are interested in. After that, perform the steps described above.

10.8. Certificate

Verification certificate is the filled form with the results of the check.

Please note that the functionality allows you to download only a filled form, which is not a legally significant document. You can certify it in your organization. Only your organization can give the legal effect to it.

To download certificate select the document in the workspace and click the "See results" button. After this click on "Download" button and select "Certificate" in the drop-down list.





Picture 98. "Certificate" button on the "See results" page

Also you may download certificate from "Full report" or "Brief report" pages. To do this, open the page with the report and click on the "Certificate" button in the top menu.

Full report 🛛	BRIEF REPORT			
(i) PARAMETERS FOR CHECKING	C EXPORT	E SAVE MORE		
Brief report	FULL REPORT			
(i) PARAMETERS FOR CHECKING	SEXPORT CERTIFICATE	() REPORT HISTORY	EXIT TO WORKSPACE	MORE

Picture 99. "Certificate" button

Window of downloading of certificate's form will open. Fill in the required field "Author full name". After filling of the fields, click on "Generate certificate" – this will start the loading of the form.



CERTIFICATE	\times
AUTHOR FULL NAME* ⑦	
Matthew Blatt	
DEPARTMENT, CHAIR, GROUP NUMBER 🕐	
PAPER TYPE ⑦	
Not specified	
PAPER NAME	
Non-linear depreciation method at the he	eavy metallurgy companies
CANCEL	GENERATE CERTIFICATE

Picture 100. Form of downloading of the certificate's form

The user with the "Student" role also may download a certificate from the student's workspace. To do this, tick the selected paper and click on the "Certificate" button in the top panel. After that the dowloading of the certificate's form will start.

Vorkspace 📀	The unconscious part of human's mental processe	is constantly directs on a				I< < 1/1 v
UPLOAD BY TASK CODE	Task	Deadline	Uploaded paper	Upload date	Grade	Report
UPLOAD TO TASK	Scientific hypothesis	10 Aug 2018 00:00	Non-linear depreciation meth	09 Aug 2018	viewed	0,12%



The created form displays information about the author and the paper, the percent of similarity, quotes, text recycling and originality, the date of evaluation, the list of search modules (for which the evaluation was made), the user, who evaluated the paper. The "Signature date" and "Signature of reviewer" fields are left empty to be filled in by hand.



tente a creation of		E					testvuz3
on the resu for reuse	ults of chec	king a text	t document				
THE CHEC	K WAS PER	RFORMED	IN THE SYSTEM	И			
Author nam Self-citatio calculated Paper nam Paper type: Subdivision	nis for: e: A : N	margasaur ot specified r Faculty					
		REPORT REVI	SED: BELOW ARE TH	IE RESULTS BEFORE ADJU	TING		
RESULTS	SIMILARI ORIGINAL CITATION TEXT REC	LITY	•	96.11% 3.89% 0% 0%	SIMILARITY ORIGINALITY CITATIONS TEXT RECYCLING	•	95.41% 4.59% 0% 0%
_	DATE OF L	DATE OF LAST CHECK: 31.08.2021 DATE AND TIME OF				TE AND TIME OF ADJUSTN	IENT: 26.12.2022 13:12
			nation system «	Adilet» search mod	ule: Piblicgraphy co	paration module; El	C joint collection:
Search mo	Si la la ar m	earch mod anguage se anguage se anguage se anguage se nd abstrac aodule of Ir	dule INTÉRNET earch on eLIBRA earch over the li earch (PLEn); el ets of National L nternet paraphr	PLUS; RSL collectio ARY.RU (EnRu); Cros nternet (EnRu); Cros .IBRARY.RU collecti .ibrary of Belarus; S ases; Patents collect testvuz3"; Institutes	n; Citations; Cross la s language search o s language search o on; GARANT collecti earch module of eLl tion; Media collectio	on eLIBRARY.RU (Pl over the Internet (Pl on; Medical collect BRARY.RU paraphra on; Search module	En); Cross LRu); Cross LRu); Cross ion; Dissertations ases; Search of common
Search mo	Si la la ar pl	earch mod inguage se inguage se inguage se no abstrac hodule of Ir hrases; Mo	dule INTÉRNET earch on eLIBR/ earch over the li earch (PLEn); et ets of National I nternet paraphr одуль поиска " ате	ARY.RU (EnRu); Cros nternet (EnRu); Cros .IBRARY.RU collecti .ibrary of Belarus; S ases; Patents collec	n; Citations; Cross la s language search o s language search o on; GARANT collecti earch module of eLl tion; Media collectio	on eLIBRARY.RU (Pl over the Internet (Pl on; Medical collect BRARY.RU paraphra on; Search module	En); Cross LRu); Cross LRu); Cross ion; Dissertations ases; Search of common
	Si la la ar pl by:	earch mod anguage se anguage se anguage se nd abstrac hodule of Ir hrases; Mo	dule INTÉRNET earch on eLIBR/ earch over the li earch (PLEn); et ets of National I nternet paraphr одуль поиска " ате	ARY.RU (EnRu); Cros nternet (EnRu); Cros .IBRARY.RU collecti .ibrary of Belarus; S ases; Patents collec	n; Citations; Cross la s language search o s language search o on; GARANT collecti earch module of eLl tion; Media collectio	on eLIBRARY.RU (Pl over the Internet (Pl on; Medical collect BRARY.RU paraphra on; Search module	En); Cross LRu); Cross LRu); Cross ion; Dissertations ases; Search of common
	Si la la ar pl by:	earch mod inguage se inguage se inguage se no abstrac hodule of Ir hrases; Mo	dule INTÉRNET earch on eLIBR/ earch over the li earch (PLEn); et ets of National I nternet paraphr одуль поиска " ате	ARY.RU (EnRu); Cros nternet (EnRu); Cros .IBRARY.RU collecti .ibrary of Belarus; S ases; Patents collec	n; Citations; Cross la s language search o s language search o on; GARANT collecti earch module of eLl tion; Media collectio	on eLIBRARY.RU (Pl over the Internet (Pl on; Medical collect BRARY.RU paraphra on; Search module	En); Cross LRu); Cross LRu); Cross ion; Dissertations ases; Search of common

Picture 102. Filled form of the certificate

11. Contact information

For technical support, please contact: support@antiplagiat.ru

If you have questions about purchasing the service for organizations, please contact our Sales department: sales@antiplagiat.ru

If you have questions about the methodology of the system implementation or user training, please contact: metodolog@antiplagiat.ru