

Expert's guide for corporate version of "Antiplagiat.Basis" system

User guide update 12.01.2023



Content

1. Introduction	3
1.1. Terms and definitions	3
1.2. Purpose and conditions of use	4
2. Preparation for the start	5
2.1. Workplace	5
2.2. Log in and log out from the system	5
2.3. Role change	6
3. Profile	
4. Customer Care Service	7
5. Adding a website	8
6. The report on the text reuse check result	9
6.1. Full report	9
6.1.1. Viewing the report	
6.1.2. Viewing information about the source	
6.1.3. External link to the source	
6.1.4. Viewing the source report	
6.1.5. Viewing report history	
6.1.6. Editing of the text blocks	
6.1.7. Comments to the report	
6.1.7.1. Adding a comment	
6.1.7.2. Actions with comments	
6.1.7.3. View all comments	
6.1.7.4. Access by a direct link	
6.1.8. Editing of the sources' list	
6.1.8.1. Changing of source type	
6.1.8.2. Source exclusion	
6.1.8.3. Source recovery	
6.1.9. Editing text similar blocks	
6.2. Brief report	
6.3. Report with formatting	
6.4. Document Structure	
6.4.1. Adding a section	
6.4.2. Changing the section borders	
6.4.3. Deleting a section	
6.4.4. Saving changes and refreshing check results	
6.5. Suspicious document	
6.6. Downloading the report	
6.7. Direct link to report from "See results" page	
6.8. Certificate	
7. Contact information	. 44



1. Introduction

г

This manual is intended to familiarize you with the means of work in the "Antiplagiat" .

The manual contains information about the purpose, capabilities, features of the system, as well as a description of the actions that provide check of text documents for the detecting reuse.

1.1. Terms and definitions

Term	Definition
System "Antiplagiat" (service)	Online tool for working with text documents with user interface on the web-site.
Text similarity	A fragment of the document text that contains the text or a fragment of the source text and is not formatted in accordance with quotation rules
Text recycling	A fragment of the document text that contains the text or a fragment of the source text, the author or co-author of which is the author of the checked document
Quotes	A fragment of the document text that contains the text or a fragment of the source text and formatted in accordance with the rules of quotation, with full bibliographic information about the source. Also quotes include common expressions, bibliography, fragments of text found in sources from the collections of regulatory documents.
Text similarity percentage	The proportion of all found similar text in relation to the total size of the checked document in characters
Text recycling percentage	The proportion of all found text recyclings in relation to the total size of the checked document in characters
Quotes percentage	The proportion of all found quotes in relation to the total size of the checked document in characters
Originality percentage	The proportion of all document text fragments that were not found in the sources used for check, in relation to the total size of the checked document in characters
Report	 The result of checking the text for reuse: Brief report - is a percentage of originality, list of text sources. Full report - is a percentage of originality, list of text sources, the full text of the document, marked with found similarity text blocks.
Report share	The ratio of the volume of matches that is taken into account within this source to the total volume of the document. That is, if the same text was found in several sources, it is taken into account only in one of them. When summing up the shares in the reports for all sources, a percentage of "Similarity" is obtained.
Text share	The ratio of the volume of matches of the source text to the volume of the



	document. The shares in the text by sources are not summed up when calculating the total percentage of matches.
Report blocks	The number of text similarity blocks from the source, taking into account the intersections of all found sources.
Text blocks	The number of text similarity blocks from a source without regard to other found sources.
Collection (search module)	The software module of the corporate version of the system "Antiplagiat", implementing the search for text reuse. The module uses a search index or a special computational algorithm to build reports. The system can have several collection. Search modules may differ in purpose, for example: • Internet search; • Citations; • Russian State Library (RSL) collection; • GARANT collection; • eLIBRARY collection; • National Library of Belarus (NLB) collection. Once you have access to several search collections, you can build both individual reports and a single report for all search collections. Some collections perform searches across specialized databases with the casts of the texts of the source documents, but to obtain access to the selected search module doesn't mean getting access to the full texts of the documents it can find this collection. In the received reports, links to the documents will be indicated (their names will also be given), and when viewing the source text, it will contain fragments that coincide with the document being checked.
Browser	Software that allows users to view pages on Internet sites and access files and software associated with those pages. For example, Mozilla Firefox, Google Chrome, etc.
Text metrics	Semantic characteristics for each uploaded document.

1.2. Purpose and conditions of use

The service is designed to check text documents for plagiarism. As a result of the scan, users receive text reuse reports. The report contains information on the sources and indicators of text similar to source, as well as detailed information with the indication of those fragments of the checked document that have been identified as text similarity. The identification is accompanied by the presentation of the matching text fragment of the borrowing source and/or the reference to the original (URL). As a result of the document check, the user can determine which part of the document is written independently and which part is reused.

- To use the service you need:
- Connect to the Internet;
- Install a browser or use the browser of one of the most common types built into your operating system (MS Edge version 97 and above, Mozilla Firefox version 90 and above, Opera version 78 and above, Chrome version 92 and above).

The results of work with the system "Antiplagiat" are not the basis for claims of copyright violations, the service is aimed at use only for information purposes. In other words, we do not declare that a particular text is plagiarism, but only inform you about the presence of the same or similar text fragment. It is possible that when working with the service, you will find the text copied from other sources, including the possibility that the downloaded document is the original source. In



any case, when working with the service, be careful, try to be objective and do not rush to conclusions. Remember that the service is only a tool of work, and only the user can give a real assessment to the document.

2. Preparation for the start

2.1. Workplace

To prepare the workplace when working with the system "Antiplagiat" it is enough to open a browser. To work with the service, browsers of the most common types, such as MS Edge version 97 and above, Mozilla Firefox version 90 and above, Opera version 78 and above, Chrome version 92 and above, can be used.

To get started, go to the service website by typing in the address bar of the browser address you received by e-mail from the administrator of the company.

- So, we have a ready workplace:
- files downloaded to your computer;
- the browser is open;
- the service's website page is opened in the browser.

2.2. Log in and log out from the system

To access the system, use the login form. To do this, click on the "Log in" link in the upper right corner of the page.

If you do not remember the e-mail that you used for registration in the system, then you can use the "Remember e-mail" function on the login page. You will see a window for entering registration details from the old site: login and password. If you enter your login and password correctly, you will see the e-mail you used for registration on the old site.

CREATE YOUR OWN WAY	Sk				SN UP
	Antiplagiat website		Help		
	The first and best Ru	issian system for deter	cting text reuse	-	
		\ominus TRY FOR FREE			

Picture 1. Log in to the workspace in the "Antiplagiat" system.


Fill your credentials into the opened login form. Click on the "Show password" button, if you want to check the correctness of the password. Click on the "Log in".



LOG IN ①	SIGN UP	0
MAIL:		
PASSWORD:		
	SHOW PAS	SWORD
	Restore	password
	LOG IN	

Picture 2. Login form into "Antiplagiat" system

After log in the icon "Menu" will be displayed on every page of the website in the upper right corner of the page. When you click on the icon, the navigation through the sections of your account will be available. To the left of the "Menu" icon you will see a brief information about yourself: the role in the system and e-mail. Figure 4 depicts an example for the "Expert" role.



Picture 3. Dropdown menu

To log out from the system, click on the "Menu" icon and then select "Log out".

2.3. Role change

If your system administrator has assigned you more than one role, you will see an arrow next to the role name located at the top of the page. Click the name of the current role to view the full list of roles available to you.



	NINISTRATOR ^ nold.Edwards@tns.com	MENU	en 🗸
	Administrator		
	Supervisor		
	IK	< 1/1 v	> >I
Se to Se from Collection			

Picture 4. List of user's roles

To change a role, click its name in the drop-down list of roles. After that, the page will change the name of the current role, and you will be redirected to the user account for this role. Please note that only one role is available at a time.

3. Profile

To go to your profile, click on the "Menu" and select the "Profile" tab.

In the profile you can review your credentials. User's data can be changed only by the company administrator.



Picture 5. User's profile

4. Customer Care Service

If you do not find answers to questions about the system, please contact Customer Care Service. To do this, click on the "Menu" in the upper right corner and select the "Customer Care Service" tab. The system opens a window with a form to send the case.



Contact customer care service ⁽²⁾		
MESSAGE:		
	1	
SEND		

Picture 6. Feedback form

Enter your question in the "Message" field and click on the "Send" button. Our experts will respond to your request to the e-mail, which was used to log in.

5. Adding a website

Our Internet search module performs a check on the already indexed sites of the web. If you find an interesting site or resource that is not included in the Internet search module, you can add it to our search module. This will allow you to build more complete and reliable reports for check through the Internet search module.

To add a website for indexing, click on "Menu" and select "Add website". Copy the link in the URL field and click "Add". You can also leave a comment about the site to which this link leads, for example, that this site is an open e-library or abstracts site.



Add website for indexing		
URL:		
COMMENT:		
	.i	

Picture 7. Website indexing form

If the site you specify is already known to our system, you will receive the message: "The Site has already been processed by our system".

Please note that the new website will be placed in the Internet search Module according to the order of the indexing queue.

6. The report on the text reuse check result

6.1. Full report

After the document is loaded and checked, you may navigate to the report. To go to the full report view page, click the "See results" button located on the line with the checked document. After this click "Full report" button.




Driginality 18,08%	Similarity	5,35%	Citations	0,62%	Text recycling	75,95%
FULL REPORT BRIEF REPORT				PRINT V	Ł EXPORT ∨	GÐ CREATE LINK 🗸
Document properties	Initial file name	Carrier Intera	action in Quantum Nanos	ystems.pdf		
Document structure	Document authors	not specified		not specified		
	Document name	Carrier Intera	action in Quantum Nanos	ystems		
Search by images NEW	Document type	Not specified				

Picture 8. Full report selection

The full report includes:

- evaluation of originality / similarity / quotes / text recycling;
- evaluation of suspiciousness of a document with details on the "Suspicious document" page
- list of similarity sources with the ability to edit and go to the source report;
- continuous or page-by display of the full text of the document marked with the found similar blocks;
- page-by-page display of the full text of the document in the original document;
- the date of document checking;
- document's name;
- report correction.

The figure below shows a General view of the full report.



Picture 9. Full report

In the top panel of the page you will see the icon buttons, allowing you to proceed to the next action:

- parameters for checking;
- export of the report;
- downloading the Certificate;
- save the edited report;
- report printing layout;
- view reports history;
- view text metrics;
- get a direct link to the report;
- link to the brief report;
- link to user manual.

6.1.1. Viewing the report

The report page consists of the text to be checked, in which the similar blocks are highlighted, the list of sources, the aggregated results of the check and navigation through the blocks of similarity (search by blocks).

To navigate through the text pages, use the paging panel located above and below the text box. To display all pages of the document at once, click on "Show all pages" at the bottom of the document page.

To return to the page-by-page display of the report text, click the "Show by page" button on the paging panel.



ALL BLOCKS V	(0)		< 2/76 × > >I
	SOURCES:	121 FROM 156	RECALCULATE
	96 🗘	Search module $ \nabla $	Sources
	[01] 6,01%	not specified Bibliography	


Picture 10. Page-by-page display of the report text

To see which text fragments were similar and to which specific source, all text similar blocks in the system are highlighted, and at the end of each block there is a label with the respective number of the source.

When viewing similar blocks in a report, you can use block navigation (block search). With its help you can go to the next or previous block by pressing the "Previous" or "Next". You can also choose which type of text blocks to use.

6.1.2. Viewing information about the source

To view information about the source, find the source in the list, expand the respective source and click on the icon.



Picture 11. Source information in the source list

The source information window displays various data on the source: a link to the source, the date of its publication, the author, etc. The list of fields may be different depending on the search module and the source itself. An annotation to the source is also displayed in the source information menu. Annotation is an automatically generated short piece of text from a document to form an idea of its content.



Key def	initions
ANNOTAT	TION IN SOURCE LANGUAGE ?
of the stud (R.E. In the	ables A decision table is one of the functional models of decision making. The resul dy is expected to be a thorough and complete analysis of the chosen approaches. e most primitive situation conditions in the decision table are formulated in such a at the answers could be stated as "yes" or "no". (T.L.
ANNOTAT	TION IN USER LANGUAGE ?
of the stud (R.E. In the	ables A decision table is one of the functional models of decision making. The resul dy is expected to be a thorough and complete analysis of the chosen approaches. e most primitive situation conditions in the decision table are formulated in such a at the answers could be stated as "yes" or "no". (T.L.
METADAT	A
SourceFile	eName:

Picture 12. Source information

If the source is placed in index of approved by administrator of your company, then appropriate flag about the source appears. Text reuses from such source included in citing percentage and highlighted by green color.

Parameters such as text share, report blocks, text blocks are customizable. To do this, click on the "Menu", select the "Profile" section and go to the "Report settings" tab. You can choose which of the parameters will not be displayed in the report by unchecking one of them.



My profile				
PROFILE SETTINGS	REPORT SETTINGS			
DISPLAY IN REPORT				
 Report blocks parameter Text blocks parameter Text share parameter 				
SAVE				

Picture 13. Report settings

When analyzing sources, you can use both report share and text share. For a clear understanding of the difference between them, let's give an example: The report indicates two sources "Source A" and "Source B". According to the sources, the same paragraph of the text was found, which makes up 10% of the total volume of the document being checked. In this case, we will get the following data:

- Source A: text share is 10%, report share is 10%;
- Source B: text share is 10%, report share is 0% (because this text has already been taken into account from source A.)

Another way to view information about a source is to click on the source number in the full report text. A window will appear that contains basic information about the source.


Symbolic Invariant Verification for Sys	tems
with Dynamic Structural Adaptation	·
	Source: Evolution & Aging
ABSTRACT	Link: http://d3s.mff.cuni.cz/research Date: 09 Apr 2016
The next generation of networked	Search module: Internet

Picture 14. Source information in the full report text

6.1.3. External link to the source

For most sources in the list there is an external link to the location of the document or source text on the Internet. To go to the web page, click the icon next to the source name.





Picture 15. External link in the list of sources

After clicking on the link, the web page on which the text of the block was found will be opened. A situation may arise when the source is unavailable after clicking on the link. Perhaps the site administrators deleted the text, or the page "moved." But in any case, this text was available at the specified address when the site was added to the index of the search module of the system.

The fact that one or more of the report's links to the open sources on the Internet at the time of viewing the report do not work is not a reason to remove these links from the system's index. Texts at the links' addresses were indexed, before being deleted / moved, they were available to third parties, could be read, copied or otherwise used. Also, they could be stored in the cache of search engines and web archives, where they could still be found.

6.1.4. Viewing the source report

To view the source report, click the link in the source name in the list of sources. A new tab in the browser will open with the text of the source with which there was a duplication. Instead of text that doesn't overlap with the source, you'll see the number of characters that were skipped.

If you want to view the full source text, open the source link by clicking on the "Go to the source website" button.

SOURCES ?

[01]	1036988214-MIT.pdf
[02]	1036988214-MIT.pdf

- [03] not specified
- [04] Downloadable Full Text
- [05] Downloadable Full Text
- [06] Downloadable Full Text
- [07] Downloadable Full Text
- [08] Impact of Irrigation Meth...
- [09] Impact of Sea Surface Te...
- [10] Impact of Sea Surface Te...
- [11] Improving the Simulatio...
- [12] A Modeling Study of Irrig...
- [13] A Modeling Study of Irrig...
- [10] Minocening Story of Might
- [14] https://conservancy.umn...

Report on the source[01]

E DISPLAY FULL TEXT & GO TO THE SOURCE WEBSITE (1) INFORMATION

1036988214-MIT.pdf

	Skipped 20911 characters / 2439 words
ſ	July-August average temperature change ('C) from 1920-1949 to 1970-1999
	in
	Skipped 13945 characters / 1558 words
ľ	how crops will
	Skipped 6 characters / 1 word
Ē	in different climate
	conditions, but also how crops and agricultural
	Skipped 2801 character / 433 words

Picture 16. Report on the source

Click another source in the Sources pane on the left to view the report for that source immediately.

You can choose to view the report by source – page or solid text. By default, the source report is displayed page by page. To switch the view mode, click on "Show full text". When you switch to solid text view, the button changes to Show text page by page. Click it to go to page view.

Another way to view the source report is to go to the source report from the block in the text. Click on the source number at the end of the block, then click on the source name.

Recent advance	es in understanding the ecology of marine s	ystems have been g
growing availab	pility of metagenomic data, which provide in	nformation on the id
functional pote	ntial of the microbial community in a partic	ular place and time
1	r 5 terabases of metagenomic data from 61	
Atlantic and P	Source: Marine microbial metagenome	ected on GEOTRAC
geographic tra	Link: https://ora.ox.ac.uk/objects/uu	cond set represent
data, collected	Date: 13 Aug 2019 Search module: INTERNET PLUS	it two long-term o
ALOHA and BA	 Inese metagenomes contain genomic in 	nformation from a d

Picture 17. Going to the source report from the text block

The page "Report on the source" will be opened with the selected block.

6.1.5. Viewing report history

When you recheck the document or edit the report, all previous versions of the reports are




saved in the system. To view the report history, click the "More" button and select the "Report history" item in the top menu of the full report.

Full report @ BRIEF REPORT	
🚯 PARAMETERS FOR CHECKING 🗹 EXPORT 🖳 CERTIFICATE 🖺 SAVE	MORE
Summer Climate Change in the Midwe	Manual CHECKED: 04.06.2020 14:38:58 Printable version 04.06.2020 14:38:58 04.06.2020 14:38:58
TEXT VIEW ORIGINAL VIEW	Direct link to the report I< < 1/18 v > >I
Summer Climate Change in the Midwest and Great Plains due to Agricultural Development during the Twentieth Century The MIT Faculty has made this article openly available. Please sha how this access benefits you. Your story matters Citation Nikiel, Catherine A. and Elfatih A. B. Eltahir et al. "Summe Change in the Midwest and Great Plains due to Agricultural Development during the Twentieth Century." Journal of Climate 3 17 (September 2019): 5583-5599. © 2019 American Meteorologie Society As Published http://dx.doi.org/10.1175/jcli-d-19-0096.1 Publisher American Meteorological Society	er Climate 32,

Picture 18. Viewing report history

A separate window will open, where you will see a summary of all the reports made for this document. Reports in history are sorted in descending order by the build date.

To go to the detailed view or correction of one of the reports, click the "Open" button. The report opens on a new page.



Picture 19. Report history

You can also view all the corrections to the report, go to a specific correction and change it. The correction is created automatically when you edit the report.



SIMILARITY 5,35% TEXT RECYCLING 75,95% CITATION	IS 0,62% OR	IGINALITY 18	,08%		OPEN
CORRECTION: 26.12.2022 12:43:26					
COMMENT					
One source deleted					
REVISIONS					
Legal information system «Adilet» search module	0%	0%	0%	100%	
Bibliography separation module	0%	0%	0,05%	99,95%	
ELS joint collection	0%	0%	0%	100%	
Search module INTERNET PLUS	5,07%	0%	0%	94,93%	
RSL collection	0%	75,95%	0%	24,05%	
Citations	0%	0%	0,58%	99,42%	

Picture 20. Information on the edited report in the reports history

6.1.6. Editing of the text blocks

You may adjust the check result not only by excluding or changing the source's type, but also by deactivating text blocks. This feature allows to not use the selected blocks when calculating the percentages.

To disable the necessary text block in the report, left-click on it. The "Deactivate" button will appear. After this the block will change color to gray. The system will automatically recalculate the percentages, but without accounting disabled text block.



ull re		PORT	
) PARAMETERS F	FOR CHECKING	ERTIFICATE 🖺 SAVE MORE	
ummer (Climate Change in	the Midwest a	CHECKED: 04.06.2020 14:38:58 CORRECTION: 16.06.2020 17:03:03
TEXT VIEW	ORIGINAL VIEW	hide source numbers	I< < 1/18 × >I
Summer Clim	ate Change in the Midwest and	Great Plains due	
to Agricultura	l Development during the Twer	ntieth Century	
The MIT Facul	ty has made this article openly	available. Please share	
how this acce	ss benefits you. Your story mat	ters .	
Citation Nikiel	l, Catherine A. and Elfatih A. B. I	Eltahir et al. "Summer Climate	
Change in the	Midwest and Great Plains due	to Agricultural	
Development	during the Twentieth Century.'	Journal of Climate 32,	
17 (Septembe	r 2019): 5583-5599. © 2019 Ar	nerican Meteorological	
Society			
As Published l	http://dx.doi.org/10.1175/jcli-d-	19-0096.1	
Publisher Ame	erican Meteorological Society		
Version Final	published version		
Citable link ht	tps:// hdl.handle.net/1721.1/12	25562 < Deactivate	
Terms of Use	Article is made available in acco	ordance with the publisher's	
policy and ma	y be subject to US copyright lav	w. Please refer to the	
	te for terms of use .		

Picture 21. Disabling the block in the report

To take the disabled text block into account again, find the disabled text block and click on it. The "Enable" button will appear. After clicking on it, the result will be recalculated again.

You may find out if there are the disabled text blocks and enable all the text blocks at once in the check results panel. To enable all text blocks, click on the "Enable All" button and the system will automatically recalculate the check result.

SELF-CITATIONS
CITATIONS
ORIGINALITY
,

Picture 22. Enable all text blocks button

Also you may find out if there are any disabled text blocks in the workspace. In the list of documents a report that contains disabled text blocks has one more status : "The report contains



disabled blocks".

Name 🖕		Upload date 🗘	Originality		
Summer Climate Change in the Midwest and Great Plains due to Agric	\odot	29 May 2020 13:40	60,08%	SEE RESULTS	
Marine microbial metagenomes sampled across space and time	\bigcirc	29 May 2020 13:40	2,48%	SEE RESULTS	



Please note that text blocks of different sources may intersect with each other - one smaller block may be the part of the bigger block. After deactivating a large text block, the small text block will be deactivated with it.

You may use navigation on disabled blocks to the right of the report's text.

6.1.7. Comments to the report


On the full report page in the original view mode, you can make comments to the report. This functionality is not available in a text view mode. The comments button is located at the top panel of the page. The current number of comments to the report is shown in parentheses next to it. When you click on the button, a drop-down list of suggested actions opens. You can leave your comment and view all comments.

ACTION		Amargasaurus			I< < <mark>1/4 ×</mark> > >I)8.2021 18:05:00 13.04.2022 10:53:25	
ext view	Original view		(0)	All blocks	~ < >	96,11%	SIMILARITY	
						0%	TEXT RECYCLING	
ijadasaurus	is a genus of sauropod dinos	aur from the Early Cretaceous epoch (late				0%	CITATIONS	
erriasian to	Valanginian stages, between 1	145 and 132.9 million years ago) of				3,89%	ORIGINALITY	
orthern Pata	agonia, Argentina. It was first o	described in 2019 based on a single specimen found in						
10 that incl	udes a largely complete skull	and parts of the neck. The only species is Bajadasaurus				SOURCES:	7 FROM 7	RECALCULATE
onuspinax.	The genus is classified as a m	ember of the Dicraeosauridae, a group of relatively				96 🗘	Search module 🖓	Sources 🖓
hall and sho	ort-necked sauropods						2.1.1	··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··
ajadasaurus	sported bifurcated (two-pro	nged), extremely elongated neural spines extending fro	m			[01] 95,41%	Bajadasaurus - gaz.wi Cross language sear	
		own from the closely related and more completely					cross language sear	cii

Picture 24. Comments button

As you scroll down the document, the comments button moves to the right corner next to the page switching.





6.1.7.1. Adding a comment

When you click on "Create Comment", the mouse cursor changes to a special indicator of document areas where you can leave comments. In some areas of the document, the cursor may become translucent and colorless, which means you cannot leave comments on this area. A special mark is set at the place of the click, and a text box opens next to it. A comment length is limited to 250 characters.



1	Jata was	grouped,	c. egorized,	trans	cribed	an	i cleane	d then	coded fo	or
present	This ter	m must be	replaced.			ing	Microso:	ft Excel	. It was the	n
authent						ıgl	sh as a :	foreign	language t	0
You g						h	ample t	hrough	conferenc	e
present						ind	ings. In a	ddition	, summarie	es
of the f						ıdy	for com	ment an	d checking	g.
Inter vie	27 from 2	50 symbols	(Cancel	Save	We	re sent t	to mem	bers of th	le
inter view	w sample.	ootn ior ch	ecking and Io	r conn	rmatio	n th	at the dat	a could	still be use	d

Picture 26. Comment creation window

When you save a comment, a comment icon appears near the place where you made the mark.

Interviews can be viewed as a *resource*, offering a "window onto life beyond the view" or as *data* itself "reflecting a reality jointly constructed by the interviewee and the interviewer" together (Rapley, 2001, p. 305). In addition, there are a number of different qualitative interview approaches, including phenomenological, ethnographic, feminist, oral history and life history, and dialogic or confrontational interview, and whilst they all used question-and-answer as their basic formats, the purposes of each approach are different. "Phenomenological interviews are commonly used to elicit... descriptions of concrete lived experiences [whilst] ethnographic interviews are frequently... to do with [questions of] culture and oral history interviews have been used... to construct historical accounts" (Roulston, 2010, pp. 28-29).

Picture 27. Comment icon on the page

If you change your mind about creating a comment, you can click anywhere outside the comment, or click the "Cancel" button in the text box, and it will disappear. After that, the cursor will become standard. To re-comment, click the comment button at the top panel of the page again and select "Create Comment."

6.1.7.2. Actions with comments

Each user with the rights to comment can do the following:

- Viewing;
- Editing;
- Deleting.

You can edit your comments. To do this, click the "Edit" button, make changes and click the "Save" button. If you want to delete your comment, click the "Delete" button and confirm the deletion.

6.1.7.3. View all comments

To view all comments at the report, click on the comments button at the top panel and select

the "View all comments" option in the drop-down list. You will see a modal window with a list of comment links. A comment link displays a full text of the comment in the report. Viewed links are highlighted in grey.

Comment	Page	Creation date
I <u>t's very large style.</u>	page 100	01 Nov 2021 01:47
Why not CCELTA?	page 115	01 Nov 2021 01:53
Ldon't like the fact that the list of items is torn like that.It is necessary either to shorten the text, or to supplement it. This is not critical, but I would like to see the list on one sheet. It feels better that way.And I think about commission	page 124	01 Nov 2021 01:57
Where is description?	page 126	01 Nov 2021 01:58
Many undeciphered abbreviations	page 133	01 Nov 2021 01:59
Too much indentation. Or change in other cells, or make less here	page 193	01 Nov 2021 02:01
All headings and subheadings have a different alignment. Need to deal with formatting	page 203	01 Nov 2021 02:04

Picture 28. List of report comments

You can click on the comment text only. After the click, the modal window with the comments list will close, a page with the comment will display and a textbox with the comment will open on the page.

6.1.7.4. Access by a direct link

A direct link to a report displays all comments in a read-only mode. You cannot create and edit comments even if you are logged in to the system.

6.1.8. Editing of the sources' list

When viewing the full report, you can, if necessary, to perform the following actions with sources:

- Changing of source type;
- Source exclusion;
- Source recovery.

To manage sources, you can click on the icons in the block on the right side of the full report page.




		Amargasaurus			I< < 1 /4	× > >1	CHECKED: 31.0 CORRECTION:	8.2021 18:05:00 13.04.2022 10:53:25	
Text view	Original view		(0)	All blocks	~	< >	96,11%	SIMILARITY	
							0%	TEXT RECYCLING	
		ood dinosaur from the Early Cretaceous epoch (late					0%	CITATIONS	
Berriasian to	Valanginian stages, b	between 145 and 132.9 million years ago) of					3,89%	ORIGINALITY	
northern Pata	agonia, Argentina. It v	was first described in 2019 based on a single specimen found in							
2010 that incl	ludes a largely compl	lete skull and parts of the neck. The only species is Bajadasaurus					SOURCES:	7 FROM 7 RI	ECALCULATE
		ed as a member of the Dicraeosauridae, a group of relatively					96 🗘	Search module 🖓	Sources 🖓
	ort-necked sauropod: s sported bifurcated (s . (two-pronged), extremely elongated neural spines extending fror	n				[01] 95,41%	Bajadasaurus - gaz.wiki Cross language search	•
the neck. Sim	ilarly elongated spine	es are known from the closely related and more completely							
known Amarg	gasaurus. Several pos	ssible functions have been proposed for these spines					[02]	Bajadasaurus Jurassic Pa	ark
in Amargasau	urus; the 2019 descrip	ption of Bajadasaurus suggested that they could have served as					0,7%	Cross language search	
passive defer	nse against predators	in both genera. The skull was slender and equipped with around							
48 teeth that	were pencil-shaped a	and restricted to the front of the jaws. The eye openings							_
of Bajadasau	rus were exposed in	top view, possibly allowing the animal to look forwards while					[03] 0%	Bajadasaurus pronuspina	x - W 💌
feeding. Baja	dasaurus was discove	ered in sedimentary rocks of the Bajada Colorada Formation,					0%	Cross language search	
which were d	leposited by braided	rivers. It shared its environment with other dinosaurs including th	e						
sauropod Lei	nkupal and different	theropods .					[04]	Amargasaurus	
Contents							0%	INTERNET PLUS	

Picture 29. Source buttons

6.1.8.1. Changing of source type

To change the type of source, you need to click on the "Pencil" icon.



Picture 30. Icon for changing the source type



Clicking on the icon will open a modal window for detailed correction of the source type. In this block, it will be necessary to indicate the new type, the reason for changing the source and your comment on the changes.

The list of reasons depends on the selected source type. For each of the reasons, there is a tooltip that is visible when hovering over the question mark. If you did not find a suitable reason, you can select "Other", but with the obligatory indication of a comment.

be displayed in the information about	t the source, as well as in the print	ed report.
SOURCE TYPE: *		
Similarity	*	
REASON: *		
Select a reason	~	
Incorrect source usage ⑦		
Improper source usage 🕐		
Not a citation/text recycling 🕐		
Other 🕐		
Confirm the source type edit?		

Picture 31. Type, reason for change and comment

The reason and comment will be displayed in reports and printed forms.


D.Bri	ning					CHECKED: CORRECTION:	01.11.2021 01 15.11.2021 04	
Nº v	Report share v	Source v		Vali	from v	Search modu)
[01]	47,97%	The challenges faced by teachers of English as a foreign language to young lea	P	31 0	Reason:	ation on a source Improper source nt: This is my and	e usage	
[02]	42,41%	The challenges faced by teachers of English as a foreign language to young lea	P	31 0	ct 2021	PLUS		
[03]	0%	The challenges faced by teachers of English as a foreign language to young lea	P	31 0	ct 2021	Search modu PLUS	le INTERNET	
[04]	5,84%	not specified		14 N	ov 2021	Citations		

Picture 32. Clarification on the type change in the summary report

6.1.8.2. Source exclusion

To exclude a source, you need to click on the "Trash" icon.





Picture 33. Source exclusion icon

When you click on the icon, a modal window will open to confirm the action with an indication of the reason and a comment. It is obligatory to indicate the reason.



You are going to exclude a source . Once excluded, it sources or taken into account when calculating the pe filter in the sources panel and re-enable it.	
To exclude a source, provide the reason for exclusic information about the source, as well as in the printed	
REASON FOR SOURCE EXCLUSION: *	
Select a reason	v
The linked source text is not available ⑦ The source was published later than the document ⑦ Copy of the checked document ⑦ Copy of a source from the list of sources ⑦ The document is not a paraphrase of a source ⑦ No cross-lingual text reuse from the source ⑦	
Incorrectly defined bibliography ⑦ Low overlapping percentage ⑦	•

Picture 34. Source exclusion icon

6.1.8.3. Source recovery

If you need to restore an excluded source, first, in the block on the right, you need to filter the sources by their status. To do this, in the filter panel, select "Sources" and select "excluded sources" from the list. The content of the block will be reloaded, instead of the exclude icon, the source restore icon will appear.



SOURCES:	0 FROM 93 RECALCULATE
96 🗘	Search module 7 Sources 7
[04] 0%	not spe active sources Citation excluded sources
[60] 0%	М-во образования и науки Р 🔹 RSL 🗐 🖉 🖉 🖪
[61] 0%	Назаров, Александр Дмитри 🔹 RSL 🗐 🖉 🖉 ট
[62] 0%	Фетви Адгой Джилия Ресурс • RSL I 8 0 5
[63] 0%	Transforming peasants, prope ELS joint collection Image: Collection

Picture 35. Source recovery

When you click on the restore source icon, a modal window for confirming the action will open.



(
played in the
STORE THE SOURCE
STO

Picture 36. Recovery confirmation

Upon confirmation of the action, the source will reappear in the list of active ones.

6.1.9. Editing text similar blocks

You may adjust the result of the check not only by removing the source, but also by disabling individual similar blocks in the text. This allows you to ignore the selected blocks when calculating the percentage of text similarity or quotation.

To disable the particular block in the report, click it with the left mouse button. The "Deactivate" button appears. After clicking the "Deactivate" button, the block will change its color to gray. The system will automatically recalculate the percentage of text similarity without taking into account the block you have turned off.

Symbolic Invariant Verification for Syst	Symbolic Invariant Verification for Systems	
with Dynamic Structural Adaptation	Deactivate	with Dynamic Structural Adaptation

Picture 37. Disable a block in a report

To restore the block in the report, find the disabled block and click on it. The "Enable" button appears. Click on it, and the result will be recounted.

You can see if there are any blocks off, and include all the blocks in the results panel at once. To enable the blocks, click the "Enable all" button, the system will automatically recalculate the result of the check.



0%	SELF-CITATIONS
17,85%	CITATIONS
60,08%	ORIGINALITY
RE	PORT CONTAINS DISABLED BLOCKS

Picture 38. Enable all text blocks button

If any report has disabled similar blocks, you can find out about them in your workspace. In the list of loaded documents, the report, which contains the disabled blocks, has another status "The report contains disabled blocks".

(*) RE	Check $\begin{tabular}{ c c c c c } \hline \begin{tabular}{ c c c c c } \hline \begin{tabular}{ c c c c c c c c c c c c c c c c c c c$					
	Name 👙		Upload date 💲	Originality		
	Summer Climate Change in the Midwest and Great Plains due to Agric	\oslash	29 May 2020 13:40	60,08%	SEE RESULTS	*
	Marine microbial metagenomes sampled across space and time	\bigcirc	29 May 2020 13:40	2,48%	SEE RESULTS	


Picture 39. Document status on the presence of disabled blocks

Please note that the blocks from different sources can overlap – one smaller block may be the part of the larger block. If you deactivate a larger block, the small block will be deactivated as well. Moreover, the shutdown of the small unit will occur on all sources to which it is included.

If the blocks intersect partially, only those fragments of the block that are not included in the intersection are disabled.

To save time when viewing disabled blocks in a report, use the navigation in the menu at the top of the report text. Click on the "All blocks" button. A navigation window will appear. Select "Disabled blocks". With it, you can go to the next or previous block by clicking on the left ("Previous") or right ("Next") buttons.





Picture 40. A navigation window in the full report

6.2. Brief report

To go to the brief report view page, click the "See results" button located on the line with the checked document. After this select "Brief report" button.

HOME / WORKSPACE / CHECK RESULTS									
Originality 18,08%	Similarity	5,35%	Citations	0,62%	Text recycling	75,95%			
FULL REPORT BRIEF REPORT RE	PORT HISTORY			PRINT V	± export ∨	GD CREATE LINK 🗸			
Document properties	Initial file name	Carrier Interaction in Quantum Nanosystems.pdf							
Document structure	Document authors 🕐	not specified		not specified					
	Document name	Carrier Interaction in Quantum Nanosystems							
Search by images NEW	Document type	Not specified							
Ay Text metrics NEW	EDIT PROPERTIES								

Picture 41. Brief report selection

Brief report consists of distribution of percentages of originality, text similarity, quotes and text recycling as well as a list of similarity sources.



Brie	ef repo	ort ?	FULL REPORT						SIMILARITY
() CHEC			CATE 🕔 REPORT HISTORY 🗧 EXIT T	O WORKSPA	CE MORE				95,41%
mar	gasaurus	;						HECKED: 31.08.2021 ECTION: 26.12.2022	TEXT RECYCLING 0%
N₂ ∽	Report share v	Text share ∽	Source v		Valid from v	Search module 🕞	Report blocks v	Text blocks v	CITATIONS 0%
[01]	95,41%	95,41%	Bajadasaurus - gaz.wiki	P	before 2011	Cross language search	5	5	ORIGINALITY
[02]	0%	70,44%	Bajadasaurus Jurassic P	P	before 2011	Cross language search	0	8	4,59%
[03]	0%	68,38%	Bajadasaurus pronuspin	P	before 2011	Cross language search	0	10	SOURCES: 7
[04]	0%	1,01%	Amargasaurus	P	31 Aug 2021	Search module INTERNET PLUS	0	2	
[05]	0%	0,72%	efimenko_m_v_koncepciy		14 May 2020	Institutes Unity collection	0	1	
[06]	0%	0,58%	Suchomimus	P	31 Aug 2021	Search module INTERNET PLUS	0	1	
[07]	0%	0,44%	Zoo - RIN.ru	P	31 Aug 2021	Search module INTERNET PLUS	0	1	

Picture 42. Brief report

For most sources in the list there is an external link to the location of the document or source text on the Internet. To go to the web page, click the icon next to the source name.

N₂ ∽	Report share v	Source v		Valid from \vee	Search module 🗸
[01]	21.03%	1036988214-MIT.pdf	P	10 Oct 2018	Search module INTERNET PLUS
[02]	0%	Downloadable Full Text	P	08 Oct 2018	Search module INTERNET PLUS
[03]	0.43%	Downloadable Full Text	P	04 Apr 2020	Search module INTERNET PLUS

Picture 43. Link in the list of sources to the source page on the Internet

In the top panel of the page you will see the icon buttons, allowing you to proceed to the following actions:

- parameters for checking;
- export of the report;
- downloading the Certificate;
- save the edited report;
- link to user manual;
- view reports history;
- report printing layout;
- view text metrics;
- get a direct link to the report.

To get more information about the results of the check, open the full report by clicking on the "Report" button.

6.3. Report with formatting

A formatted report allows you to view the results of the document check while maintaining the original formatting (indentation, fonts, titles) and displaying tables and figures.

To view the report with the formatting, switch the tab "Text view" to the tab "Original view".



Full report BRIEF REPORT		
(i) PARAMETERS FOR CHECKING	ICATE SAVE MORE	
Summer Climate Change in th	e Midwest a	CHECKED: 04.06.2020 14:38:58 CORRECTION: 16.06.2020 17:59:15
TEXT VIEW ORIGINAL VIEW	hide source numbers	I< < 1/18 v > >I
Summer Climate Change in the Midwest and Great to Agricultural Development during the Twentieth		
The MIT Faculty has made this article openly avail	able. Please share 16	
how this access benefits you. Your story matters	•	

Picture 44. Original document view in the full report

The Original view tab, as well as the Text view tab, displays reused parts and a list of sources, but the markup is applied to the original formatting of the document.

It is worth noting that when you export the pdf report, the text of the document is downloaded without any formatting.

You can view the document in its original form in the "Version for reading". To do this, click on the name of the document in your account. The text view of the document opens, then click the "Original view" tab.

for reading		
imate Change in the	Midwest and Great	
ORIGINAL VIEW		I< < 1 /18 v > >
e Change in the Midwest and Gre	at Plains due	
Development during the Twentiet	h Century	
has made this article openly avai	lable. Please share	
benefits you. Your story matters.		
Catherine A. and Elfatih A. B. Eltah	ir et al. "Summer Climate	
/lidwest and Great Plains due to A	gricultural	
uring the Twentieth Century." Jou	rnal of Climate 32,	
2019): 5583-5599. © 2019 America	an Meteorological	
	ORIGINAL VIEW e Change in the Midwest and Gre Development during the Twentiet has made this article openly avai benefits you. Your story matters. Catherine A. and Elfatih A. B. Eltah didwest and Great Plains due to A uring the Twentieth Century." Jou	ORIGINAL VIEW e Change in the Midwest and Great Plains due Development during the Twentieth Century has made this article openly available. Please share benefits you. Your story matters. Catherine A. and Elfatih A. B. Eltahir et al. "Summer Climate Midwest and Great Plains due to Agricultural uring the Twentieth Century." Journal of Climate 32, 2019): 5583-5599. © 2019 American Meteorological

Picture 45. Original document view in the Version for reading

Please note that when adding for check files in txt, htm, html, pptx format, direct text input, you cannot view the original formatting of the document.

6.4. Document Structure

You can find sections of the checked document on the check results page in the "Document Structure" tab. The structure is extracted automatically while document is being checked for similarity.

Here you can see information about the following sections:

- Title page;
- Content;





- Main part;
- Bibliography;
- Appendix.

(i) System can now determine the structure of the document and display the sections found. A feature to account for structure when checking a document will be added at a later time.

LIST OF SECTIONS IN THE DOCUMI	ENT DOCUMENT STRUCTURE
TITLE	BIBLIOGRAPHY
✓ Included in check	✓ Included in check
Number of pages: 1	Number of pages: 7
On pages: p.1	On pages: p.8-14
 Share of the document text: 1,11%	Share of the document text: 28,89%
CONTENT	APPENDIX
 ✓ Included in check	✓ Included in check
 not found	Number of pages: 3
	On pages: p.14-16
MAIN	Share of the document text: 10,15%
✓ Included in check	
Number of pages: 7	
On pages: p.2-8	
Share of the document text: 59,83%	
* The colored blocks in the document thumb	onail indicate the sections found. The order of
blocks matches the order of sections in the o	document; the size of blocks does NOT match the
	g in the document is available by clicking the
"Document structure" button.	

Picture 46. Document Structure

The following information is provided for each section:

- Whether it has been included in the check or not;
- The number of pages in the section;
- Page numbers for each section;
- Section's text share compared to the text of the entire document
- If a section has not been found by the system, a special notification will be displayed.

The block on the left shows a diagram of the document structure. Each section is marked in its own color. The sequence of the sections on the diagram reflects the sequence of the sections in the document.

When you click on the "Document Structure" button, a detailed analysis of the document divided by structure opens in a new tab.



P	IK K 15/1	5 🗸 > >1		
	Appendix		TITLE	~
	Data Overview and Links to Materials		CONTENT	v
	We outline the sources of each component of our data below.			
	 Mask use by zip code The New York Times commissioned Dynata, an online market re- search firm, to collect a large scale survey in the United States about mask use. We study 		MAIN	×
	the primary outcome of interest described in The New York Times's introduction of the data: the probability (chance) that, if one has five random encounters, all people encoun- tered are wearing masks. Zip code level measures are produced using the geographic		BIBLIOGRAPHY	~
	location of survey responses. Data was retrieved using a web crawling approach. For additional information, see: 'A Detailed Map of Who Is Wearing Masks in the U.S. By Josh Katz, Margot Sanger-Katz and Kevin Quealy. July 17, 2020. <i>The New York Times</i> .		APPENDIX Title in the document: He	^
	 County-level administrative covariates Economic and political measures are drawn from Fajgelbaum et al. (2019) and available for download here: https://bit.ly/3aTo1SF. Data on social capital and demographic information are derived from a collection of mea- 		указано Number of pages: 3 On pages: <u>14</u> - <u>16</u> Percent by text: 10,15%	
	sures published by the United States Census Bureau and collated by the United States Congress Joint Economic Committee. For more details see 'The Geography of Social			
	Capital in America' https://bit.ly/39HJUEy. Additional data, including the social capital index, are drawn from an updated version of the data published by Rupasingha, Goetz and Freshwater (2006).			
	 Zip code-level administrative covariates The rural index is based on a rural classifica- tion system established by the United States Department of Agriculture Economic Re- search Service Whele products (1.10) deligned external time grant large system and the system of the system of			
	search Service. Whole numbers (1-10) delineate metropolitan, micropolitan, small town, and rural commuting areas. We thank Thomas Pepinsky for sharing the zip code version of this data, which is used in work on partisanship and COVID-19 behaviors (Gadarian,			
	Goodman and Pepinsky, 2020). For more details, see https://bit.ly/3fn3BTH.			
	 COVID-19 cases and deaths County-day level information about COVID-19 cases and related deaths are tracked and compiled by the New York Times from various government 			
	A-1			

Picture 47. Appendix

The panel on the right contains blocks with the sections. When you click on the block, you can see the information on the particular section. Clicking on the page number takes you to the respective page of the document. The text in the document is highlighted by the color of the corresponding section.

On this page you can edit the structure of the document recognized by the system if you see any errors. The following actions are available to you:

- adding a section;
- changing the borders of a section;
- deleting a section.

6.4.1. Adding a section

To add a new section that was not recognized by the system automatically, you need to open the menu for the desired section and click the "Add section" button.

Picture 48. "Add section" button

After clicking this button, you will need to put markers for the beginning and end of the section being added. The start marker appears first. It should be placed on the first line of the section in any place. After setting the start marker, you need to put the end marker on the last line of the section in the same place. If everything is put down correctly, click "Apply" to complete the markup of the section.

Picture 49. Adding a section



6.4.2. Changing the section borders

You can edit the borders of an existing section. To do this, click on the "Change borders" button near the beginning or end of the section. Then you can left-click on the marker that you want to move. With the next mouse click, you can set the marker to a new position. When you are satisfied with the changed section borders, click "Apply" to complete the editing.

Picture 50. Changing the section borders

6.4.3. Deleting a section

You can also delete a section if it was identified incorrectly and needs to be removed. To do this, click the "Delete section" button at the beginning or end of the section. Please note that you cannot delete the "Main part" section, since it is mandatory.

Picture 51. Deleting the section

6.4.4. Saving changes and refreshing check results

After making changes to the structure of the document, they need to be saved. To do this, click the "Save" button at the top of the screen.

Picture 52. Saving changes in the structure

Please pay your attention that after saving the changes in the structure, they are not automatically applied to the report. In order to see the results of checking the document with the updated structure, you need to recheck the document. For more information, see <u>Document</u> <u>recheck</u>

6.5. Suspicious document

A suspicious document is a document that shows signs of technical ways to change the text or format, such as replacing characters, inserting invisible text, etc. Such signs may indicate that the author tried to cheat the system to hide text reuses and artificially increase the originality percentage. If such signs of cheating have been found in the document, a special flag will be put for it in the workspace and the list of documents of the company.

Q Search by document name			I< < 1/1 v >
$racheck$ \square move \square delete \bigcirc report history \bigcirc $\textcircled{\otimes}_{\oplus}$ to \bigcirc from index			
Name 🗘	Upload date 🗘	Originality	
Dynamic Learning and Pricing with Model Misspecification	(C) 17 Jun 2020 18:58	100%	SEE RESULTS
Summer Climate Change in the Midwest and Great Plains due to Agric	29 May 2020 13:40	59,79%	SEE RESULTS
Marine microbial metagenomes sampled across space and time	29 May 2020 13:40	2,48%	SEE RESULTS

Picture 53. Suspicious document indicator in the Workspace

Please note that if you see a suspicious flag, we recommend that you carefully read the check report and the suspicious fragments found in the document. Detection of suspicious documents is an auxiliary tool for analysis. The final decision is always up to the verifier.



The information that the document shows signs of a cheating is displayed in the check reports, in the printable versions, and in the downloaded reports. In a brief report the page numbers with the detected potential cheating attempts are displayed.

srie	ef repo	ort 💿 🗌	FULL REPORT					
			ICATE 🕔 REPORT HISTORY 🗧 EXIT TO W	ORKSPACE MORE				SIMILARITY 85,23%
() CHEC			CATE ON REPORT HISTORY CENTRO	ORRSPACE MORE				TEXT RECYCLING
stude	ent's thes	is_1				CHE	CKED: 06.12.2022 12:08:22	0%
N₂ ∽	Report share 🗸	Text share ∽	Source v	Valid from $$	Search module 🗸	Report blocks v	Text blocks v	CITATIONS 0%
[01]	54,98%	78,02%	petrova_v_s_proekt-empi	29 Oct 2017	Institutes Unity collection	144	178	ORIGINALITY
[02]	1,72%	17,66%	How Does Owning a Dwe	30 Apr 2022	Institutes Unity collection	10	56	14,77%
[03]	2,72%	16,98%	Accounting and Valuatio	29 Apr 2022	Institutes Unity collection	12	57	SOURCES: 65
[04]	1,72%	14,98%	How Does Owning a Dwe	01 May 2022	Institutes Unity collection	5	49	
[05]	0,8%	13,17%	Does It Pay to Bet Agains	8 30 Apr 2016	Wiley Open Library	3	51	The following reuse hiding
[06]	1,58%	12,97%	Does It Pay to Bet Agains	8 30 Apr 2016	Search module of Wiley Open Library paraphrases	4	30	methods may have been used:: INSERTION Pages: 4, 10, 11, 12, 15, 16, 18, 20, 21 more on page 22
[07]	1,8%	10,89%	Gaussian Processing Mo	01 May 2022	Institutes Unity collection	3	34	TEXT COHERENCE
[08]	0,86%	10,65%	Owning a Dwelling or Ha	01 May 2022	Institutes Unity collection	3	37	This document may contain an attempt to cheat the system. Be careful when working with the
[09]	2,5%	8.47%	https://aisberg.unibg.it/r	@ 25 Nov 2022	Internet search module	7	22	report.

Picture 54. Brief report for a suspicious document

The printable version of the check report provides information about potential cheating attempts. It shows the types of cheating and page numbers where suspicious fragments have been found. Similarly, information is displayed in the downloaded versions of reports.

Author: Checked by: Organization: testvu Report presented by	z3 the Antiplagiat service - <u>http://testvuz3.a</u>	antiplagiat.ru	
OCUMENT INFORMATION	REPORT INFORMATION		
Document No.: 503 Jploading start: 06.12.2022 12:01:08 Jploading duration: 00:00:19 Irilial file name: petrova_v_s_proekt- impiricheskiy-analiz-anomaliy-nizkogo- irovnya-riska.pdf Document: Student's thesis_1 fext size: 118 KB Jumber of characters: 120932 Jumber of words: 16494 Jumber of sentences: 98	over the Internet (UzRu), Search r Internet paraphrases, Search mo collection, RSL collection, Media с Модуль поиска "testvuz3", GARA module of Internet paraphrases (Wiley Open Library, Cross langua,		
SIMILARITY	TEXT RECYCLING	CITATIONS	ORIGINALITY 14.77%

Picture 55. Printable version for a suspicious document

A special block with a suspicious mark is displayed in the full report for a suspicious document. Click on the suspicious sign in the top menu. A window with the words "Suspicious document" and the "Details" button will appear. Click "Details" to go to the "Suspicious document" page and view detailed information about the suspicious text fragments. If the loaded document does not have formatting, instead of transferring to the "Suspicious document" page, the system will display page



numbers with potential attempts to cheat the system.

HOME / WORKS	PACE / CHECK RESULT	5 / FULL REPORT			
		Student's thesis_1		I< < 22/49 Y > >I	CHECKED: 06.12.2022 12:08:22
Text view	Original view		💮 (0) 🛕 All blocks	× < >	85,23% SIMILARITY
Text view	onginarview				0% TEXT RECYCLING
Table 1: Portf	olio Summary Statisti	cs, July 1930 to December 2016	Suspicious document		0% CITATIONS
The table rep	orts summary statisti	cs for beta-sorted value-weighted portfolios. "H" corresponds to	DETAILS		14,77% ORIGINALITY

Picture 56. Full report for a suspicious document

Please note that if the uploaded document has no formatting, then instead of the link to "Suspicious document" there are the page numbers with potential cheating attempts displayed in the full report.

You may also access information about possible cheating on the "See Results" page. To do this, click on the "Details" link in the red suspicious document warning block.

HOME / WORKSPACE / CHI	ECK RESULTS						
Attention! The	e document is suspiciou	s: attempts to hide reus	e have been found. <u>Deta</u>	ails			
Originality	14,77%	Similarity	85 <mark>,23%</mark>	Citations	0%	Text recycling	0%
FULL REPORT	BRIEF REPORT	REPORT HISTORY			⊖ PRINT ∨	L EXPORT ✓	CO CREATE LINK 🗸

Picture 57. Suspicious document on "See results" page

The "Suspicious document" page displays detailed information about the suspicious fragments found in the document. You can read the text of the document in the form in which it was uploaded into the system (keeping the original formatting). If a fragment is found on the document page that may containg cheating attempt, it is marked in red.

Suspicious document _③	
Vector methods of analysis cheating	This page displays possible attempts at cheating the system. Be careful when working with the document
The New University MASTER'S THESIS Matthew Blatt Application of vector methods of analysis for validation of the hypotheses	IN DOCUMENT ON PAGE The following cheating methods have been detected in the document: INSERTION ① ~
Chapter 1 Introduction	

Picture 58. "Suspicious document" page

To view information about suspicious fragments for the entire document, click the "In document" tab in the right panel. To view the page numbers, click the name of the cheating method. To go to any of the listed pages, click on the desired number.




e following cheating me tected in the document	
INSERTION ①	^
Very small text	
On pages:	
1	
Small font	
On pages:	
1	
Change text color to color	background
On pages:	

Picture 59. "In document" tab

The "On page" tab provides information about suspicious fragments on the selected page of the document. To display certain cheating methods, check them and uncheck the others. The selected cheating methods are highlighted in red on the page, the removed cheating methods are underlined with a red line. To select all suspicious fragments on the document page at once, click on "Display all". In order to remove the selection from all the suspicious fragments, click on "Hide all".

It is also possible to review the text of the cheating, if it was extracted during the document processing.





Picture 60. Text revision on the "On page" tab

If the document does not contain cheating, you can disable the "Suspicious document" flag. To disable the flag, use the enable/disable button in the upper right corner of the "Suspicious document" page. You can leave a comment explaining why you disabled the "Suspicious document" flag. If you view the "Suspicious document" page through a direct link, you will not be able to disable the "Suspicious document" flag.

IMPORTANT!!	▲ FLAG ENABLED
You are removing the "Suspicious document" flag. You can include a comment explaining why a flag was removed.	This page displays possible attempts at cheating the system. Be careful when working with the document
Information on manually removing a flag will be output in printed reports. Are you sure you would like to remove the "Suspicious document" flag?	
Your comment	
6	

Picture 61. Disable the "Suspicious document" flag

If you disable the "Suspicious document" flag:

- the respective icon will not be displayed in the Workspace;
- the brief report will not display information about the cheating;
- in the downloaded forms of reports and in a printable versions the information will appear in the "Suspicious document" section that the flag was disabled, and comments will be displayed;
- in the full report, you will see that the "Suspicious document" flag has been removed the



corresponding icon will become gray;

• you still have access to the "Suspicious document" page.

Full report 🛛	BRIEF REPORT	
() PARAMETERS FOR CHECKING	EXPORT 😰 CERTIFICATE 🖺 SAVE MORE	off VIEW

Picture 62. Disabled "Suspicious document" flag in the full report

Potential cheating attempts view is different for documents that have been uploaded prior the availability of cheating detection function. For a brief report, the printable version and downloaded reports the text will be placed in "Suspicious document" blocks with a warning of the presence of suspicious fragments. For a full report, you will see the same text when you hover over the "Suspicious document" page is not available in this case.

ull re			The badge means that this document should signs of the overstatement of its originality be should be done: firstly, compare the text in the be checked. For example, if the report contain	ised on specific document format e report and in the document, wh is a text fragment that is not prese	features. What hich was sent to ent in the source	REUSE CITATIONS	originality 67.08%
		TE SAVE MORE	document, words are "glued" together or con trying to deceive you and the system. Howeve			SUSPICIOUS DOCU	MENT
Vector m	nethods of analysi	s cheating	was an attempt at deception. The text may co	ntain a lot of foreign words, very l	long words, or	TEXT EXTRACTED U	JSING OCR
	document text: English	5 6110040110	words not found in the dictionary. This freque specific terminology (chemistry, law, etc.). DO PRESENCE OF THIS MARK. Instead, open the r	NOT FULLY RELY ON PERCENTAG		BLOCK SEA	RCH
TEXT VIEW	ORIGINAL VIEW		hide source numbers	I< < 1	1/69 v > >I	Reuse Citations	PREVIOUS
						Disabled blocks	NEXT



6.6. Downloading the report

Downloading the report will allow you to save the report as a PDF file. To download the report to your computer, click on the "Export" button on the report viewing page.

Export report					
() REPORT INFORMATION () REPORT	HISTORY				
Symbolic Invariant Ve	erification for Systems		c		13.07.2018 12:23:46 13.07.2018 12:58:30
Report type	Program for opening the file	Status	Retrieve report	Viewer	
STANDARD (PDF)	Adobe Reader.	Not generated	EXPORT	Go to the pro	ogram's website

Picture 64. Report downloading status window

Page will appear "Export report". To start the report generation, click on the "Export" button. After some time, the button will change to "Download". Click on the "Download" button to download the file. The download will start automatically, or the file download and save dialogue window will open, depending on your browser settings.

In the downloaded report you will see information about the report and the loaded document, a terminological block with the description of the terms "Similarity", "Quotes", "Originality", "Text recycling", a list of sources and text with markup of quotation blocks (if the user unloads the full report).

6.7. Direct link to report from "See results" page

A direct link to the report allows you to give access to the report to any user, including users unauthorized in the system. This link allows you to view the report, however you cannot make

changes to the report.

To get a direct link to a report, select the document in the workspace and click the "See results" button. After this click on "Create link" button and select "To full report" or "To brief report" in the drop-down list. A link to the selected type of report will be copied in the clipboard.

Originality 3,899	Similarity	96,11%	Citations	0%	Text recycling	0%
FULL REPORT BRIEF REPORT	REPORT HISTORY			PRINT ¥	L EXPORT ♥	GƏ CREATE LINK V To full report To brief report

Picture 65. Direct link to the report from "See results" page

Also you may get a direct link to a report from "Full report" or "Brief report" pages. For example, to get a direct link to a full report, open the "Full report" page and click "More" in the top menu, then click the "Direct link to the report" button. A link to the full report will be copied in the clipboard.

(i) PARAMETERS FO	OR CHECKING	C EXPORT		SAVE	MORE
	•				Manual
Dynamic L	earning	J and P	ricing wit	h Mo	Conservation and a second second
Synamic E	curring	Sunar	incling with		Report history
	curring	Sundi	incling with		Report history Printable version

Picture 66. Direct link to the report from "Full report" page

The mechanism for obtaining a direct link to a short report is the same as to a full report.

An external user who has followed a direct link will be able to view the report and text metrics (if this function is enabled), print the report to a page, and export the report (if this function is enabled). You cannot edit a report using a direct link.

The user can also share a link to a recheck report or a report with corrections. To do this, in the report history, open the version of the report or adjustment you are interested in. After that, perform the steps described above.

6.8. Certificate

Verification certificate is the filled form with the results of the check.

Please note that the functionality allows you to download only a filled form, which is not a legally significant document. You can certify it in your organization. Only your organization can give the legal effect to it.

To download certificate select the document in the workspace and click the "See results" button. After this click on "Download" button and select "Certificate" in the drop-down list.





Picture 67. "Certificate" button on the "See results" page

Also you may download certificate from "Full report" or "Brief report" pages. To do this, open the page with the report and click on the "Certificate" button in the top menu.

Full report 🛛	BRIEF REPORT			
() PARAMETERS FOR CHECKING		E SAVE MORE		
Brief report	FULL REPORT			
PARAMETERS FOR CHECKING	SEXPORT E CERTIFICATE	() REPORT HISTORY	EXIT TO WORKSPACE	MORE

Picture 68. "Certificate" button

Window of downloading of certificate's form will open. Fill in the required field "Author full name". After filling of the fields, click on "Generate certificate" – this will start the loading of the form.

CERTIFICATE	(\times)
AUTHOR FULL NAME* 🕐	
Matthew Blatt	
DEPARTMENT, CHAIR, GROUP NUMBER	
PAPER TYPE ⑦	
Not specified	
PAPER NAME ⑦	
Non-linear depreciation method at the heavy m	netallurgy companies
CANCEL	GENERATE CERTIFICATE

Picture 69. Form of downloading of the certificate's form

The user with the "Student" role also may download a certificate from the student's workspace. To do this, tick the selected paper and click on the "Certificate" button in the top panel. After that the dowloading of the certificate's form will start.

Workspace 📀	The unconscious part of human's mental processes	s constantly affects on t	he consciousness.			IC C 1/1 V	
D UPLOAD BY TASK CODE	Task	Deadline	Uploaded paper	Upload date	Grade	Report	
UPLOAD TO TASK	Scientific hypothesis	10 Aug 2018 00:00	Non-linear depreciation meth	09 Aug 2018 12:07	viewed	0,12%	-



The created form displays information about the author and the paper, the percent of similarity, quotes, text recycling and originality, the date of evaluation, the list of search modules (for which the evaluation was made), the user, who evaluated the paper. The "Signature date" and "Signature of reviewer" fields are left empty to be filled in by hand.



on the rear						testvuz3
on the resu for reuse	ults of checking a t	text document				
THE CHEC	K WAS PERFORM	ED IN THE SYSTEM				
Author nam Self-citatio calculated f Paper name Paper type: Subdivision	n is for: e: Amargas : Not speci	ified				
	AUDIT REPORT F	REVISED: BELOW ARE THE RE	SULTS BEFORE ADJUST	ING		
RESULTS	SIMILARITY ORIGINALITY CITATIONS TEXT RECYCLING		96.11% 3.89% 0% 0%	SIMILARITY ORIGINALITY CITATIONS TEXT RECYCLING		95.41% 4.59% 0% 0%
_	DATE OF LAST CHEC	CK: 31.08.2021		DA	TE AND TIME OF ADJUSTMENT: 2	26.12.2022 13:12
					paration module; ELS joi	
Search mod	Search m language language language and abst module o	e search over the Inter e search (PLEn); eLIBF tracts of National Libr	.RU (EnRu); Cross met (EnRu); Cross ARY.RU collection ary of Belarus; Sec s; Patents collect	language search o language search o n; GARANT collections arch module of eLIB ion; Media collections	on eLIBRARY.RU (PLRu); over the Internet (PLRu); on; Medical collection; I BRARY.RU paraphrases; on; Search module of co	Cross Cross Dissertations Search
Search mod	Search m language language and abst module o phrases;	e search on eLIBRARY e search over the Inter e search (PLEn); eLIBF tracts of National Libr of Internet paraphrase	.RU (EnRu); Cross met (EnRu); Cross ARY.RU collection ary of Belarus; Sec s; Patents collect	language search o language search o n; GARANT collections arch module of eLIB ion; Media collections	on eLIBRARY.RU (PLRu); over the Internet (PLRu); on; Medical collection; I BRARY.RU paraphrases; on; Search module of co	Cross Cross Dissertations Search
	Search m language language and abst module o phrases; by: Expert' Verifier's	e search on eLIBRARY e search over the Inter e search (PLEn); eLIBF tracts of National Libr of Internet paraphrase Модуль поиска "test	.RU (EnRu); Cross met (EnRu); Cross ARY.RU collection ary of Belarus; Sec s; Patents collect	language search o language search o n; GARANT collections arch module of eLIB ion; Media collections	on eLIBRARY.RU (PLRu); over the Internet (PLRu); on; Medical collection; I BRARY.RU paraphrases; on; Search module of co	Cross Cross Dissertations Search
	Search m language language and abst module o phrases; by: Expert' Verifier's	e search on eLIBRARY e search over the Inter e search (PLEn); eLIBF tracts of National Libr of Internet paraphrase Модуль поиска "test s name	.RU (EnRu); Cross met (EnRu); Cross ARY.RU collection ary of Belarus; Sec s; Patents collect	language search o language search o n; GARANT collections arch module of eLIB ion; Media collections	on eLIBRARY.RU (PLRu); over the Internet (PLRu); on; Medical collection; I BRARY.RU paraphrases; on; Search module of co	Cross Cross Dissertations Search

Picture 71. Filled form of the certificate

7. Contact information

For technical support, please contact: support@antiplagiat.ru

If you have questions about purchasing the service for organizations, please contact our Sales department: sales@antiplagiat.ru

If you have questions about the methodology of the system implementation or user training, please contact: metodolog@antiplagiat.ru